



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Remove-StorageTier'

PS C:\Users\wahid> Get-Help Remove-StorageTier

NAME

Remove-StorageTier

SYNOPSIS

Removes storage tiers from a storage pool.

SYNTAX

Remove-StorageTier [-FriendlyName] <String[]> [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]

Remove-StorageTier [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]

Remove-StorageTier [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-PassThru] [-ThrottleLimit <Int32>] -UniqueId <String[]> [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Remove-StorageTier cmdlet removes one or more storage tiers from a storage pool. You cannot remove storage tiers that are used by virtual disks.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-FriendlyName <String[]>

Specifies an array of friendly names of storage tiers to remove.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of

`0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

`-UniqueId <String[]>`

Specifies an array of IDs of storage tiers to remove.

`-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

`<CommonParameters>`

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Remove a storage tier -----

```
PS C:\> Remove-StorageTier -FriendlyName "Standard_HDD_Tier"
```

This command removes the storage tier named `Standard_HDD_Tier`.

REMARKS

To see the examples, type: `"get-help Remove-StorageTier -examples"`.

For more information, type: `"get-help Remove-StorageTier -detailed"`.

For technical information, type: `"get-help Remove-StorageTier -full"`.

For online help, type: `"get-help Remove-StorageTier -online"`