PowerShell Get-Help on command 'Remove-VpnConnectionTriggerApplication'

PS C:\Users\wahid> Get-Help Remove-VpnConnectionTriggerApplication

NAME

Remove-VpnConnectionTriggerApplication

SYNOPSIS

Removes a trigger application from a VPN connection object.

SYNTAX

Remove-VpnConnectionTriggerApplication [-ConnectionName] <String>

[-ApplicationID] <String[]> [-AsJob] [-CimSession <CimSession[]>] [-Confirm]

[-Force] [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Remove-VpnConnectionTriggerApplication cmdlet removes a trigger

application from a VPN connection object. After you remove an application from

the VPN connection, when the client accesses that application, it no longer

triggers the VPN connection.

PARAMETERS

-ApplicationID <String[]>

　　Specifies an array of unique identifiers for an application. For legacy

　　desktop applications, the application identifier is the application path.

　　For modern applications, it is the Package Family Name of the application.

-AsJob [<SwitchParameter>]

　　Runs the cmdlet as a background job. Use this parameter to run commands

　　that take a long time to complete.

-CimSession <CimSession[]>

　　Runs the cmdlet in a remote session or on a remote computer. Enter a

　　computer name or a session object, such as the output of a New-CimSession

　　(https://go.microsoft.com/fwlink/p/?LinkId=227967) or

　　[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet.

　　The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

　　Prompts you for confirmation before running the cmdlet.

-ConnectionName <String>

　　Specifies the name of a VPN connection profile. To view existing VPN

　　connection profiles, use the Get-VpnConnection cmdlet.

　　A VPN connection profile includes connection types, group policy settings,

　　and names of authentication, authorization, and accounting servers.

-Force [<SwitchParameter>]

　　Forces the command to run without asking for user confirmation.

-PassThru [<SwitchParameter>]

　　Returns an object representing the item with which you are working. By

　　default, this cmdlet does not generate any output. If you specify this

　　parameter, the cmdlet returns the VpnConnectionTriggerApplication object

that contains the applications configured for VPN trigger.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be

established to run the cmdlet. If this parameter is omitted or a value of

`0` is entered, then Windows PowerShellr calculates an optimum throttle

limit for the cmdlet based on the number of CIM cmdlets that are running

on the computer. The throttle limit applies only to the current cmdlet,

not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (https:/go.microsoft.com/fwlink/?LinkID=113216).

---- Example 1: Remove a VPN connection trigger application ----

PS C:\> Remove-VpnConnectionTriggerApplication -ConnectionName "Contoso"

-ApplicationID "C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe","Mic

rosoft.RemoteDesktop_Contoso0987" -PassThru -Force

ConnectionName : Contoso

ApplicationID : {C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe,

Microsoft.RemoteDesktop_Contoso0987}

This command uses the Remove-VpnConnectionTriggerApplication cmdlet to remove

the trigger applications by using the ApplicationID parameter. The command

also specifies the PassThru and Force parameters.

To see the examples, type: "get-help Remove-VpnConnectionTriggerApplication
-examples".

For more information, type: "get-help Remove-VpnConnectionTriggerApplication
-detailed".

For technical information, type: "get-help
Remove-VpnConnectionTriggerApplication -full".

For online help, type: "get-help Remove-VpnConnectionTriggerApplication
-online"