



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Remove-VpnConnectionTriggerTrustedNetwork'

```
PS C:\Users\wahid> Get-Help Remove-VpnConnectionTriggerTrustedNetwork
```

NAME

Remove-VpnConnectionTriggerTrustedNetwork

SYNOPSIS

Removes DNS suffixes previously configured as trusted networks from the VPN profile.

SYNTAX

```
Remove-VpnConnectionTriggerTrustedNetwork [-ConnectionName] <String>
[-DnsSuffix] <String[]> [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
[-Force] [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-VpnConnectionTriggerTrustedNetwork cmdlet removes Domain Name System (DNS) suffixes previously configured as trusted networks from the VPN profile. When you remove a DNS suffix from the virtual private network (VPN) profile, the VPN connection does not automatically start when the DNS suffix is present on the physical interface on the client.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/?LinkId=227966>) cmdlet.

The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-ConnectionName <String>

Specifies the name of a VPN connection profile. To view existing VPN connection profiles, use the Get-VpnConnection cmdlet.

-DnsSuffix <String[]>

Specifies an array of DNS suffixes.

-Force [<SwitchParameter>]

Indicates that the cmdlet removes DNS suffixes from the VPN profile without a confirmation message.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output. If you specify this parameter, the cmdlet returns the VpnConnectionTriggerTrustedNetwork object that contains the list of trusted networks for auto triggering.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

---- Example 1: Remove trusted networks from a VPN profile ----

```
PS C:\> Remove-VpnConnectionTriggerTrustedNetwork -ConnectionName "ContosoVPN"
-DnsSuffix "newyork.contoso.com","washington.contoso.com" -PassThru -Force
ConnectionName : Contoso
```

DnsSuffix : {newyork.contoso.com, washington.contoso.com}

This command removes trusted networks from the ContosoVPN VPN profile.

REMARKS

To see the examples, type: "get-help Remove-VpnConnectionTriggerTrustedNetwork -examples".

For more information, type: "get-help Remove-VpnConnectionTriggerTrustedNetwork -detailed".

For technical information, type: "get-help Remove-VpnConnectionTriggerTrustedNetwork -full".

For online help, type: "get-help Remove-VpnConnectionTriggerTrustedNetwork
-online"