



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Rename-DAEntryPointTableItem'

PS C:\Users\wahid> Get-Help Rename-DAEntryPointTableItem

NAME

Rename-DAEntryPointTableItem

SYNOPSIS

Renames a DirectAccess entry point.

SYNTAX

```
Rename-DAEntryPointTableItem [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
[-EntryPointName <String[]>] -NewName <String> [-PassThru] -PolicyStore
<String> [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

```
Rename-DAEntryPointTableItem [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
[-EntryPointName <String[]>] -GPOSession <String> -NewName <String>
[-PassThru] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

```
Rename-DAEntryPointTableItem [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
-InputObject <CimInstance[]> -NewName <String> [-PassThru] [-ThrottleLimit
<Int32>] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Rename-DAEntryPointTableItem cmdlet renames a DirectAccess entry point.

PARAMETERS

-AsJob [`<SwitchParameter>`]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job completes. To manage the job, use the ``*-Job`` cmdlets. To get the job results, use the Receive-Job (<https://go.microsoft.com/fwlink/?LinkID=113372>)cmdlet.

For more information about Windows PowerShell background jobs, see about_Jobs (<https://go.microsoft.com/fwlink/?LinkID=113251>).

-CimSession `<CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet.

The default is the current session on the local computer.

-Confirm [`<SwitchParameter>`]

Prompts you for confirmation before running the cmdlet.

-EntryPointName `<String[]>`

Specifies the name of the entry point to rename. The entry point name is usually the friendly name of the location, such as Redmond or Paris.

Specify the name of the entry point by using double quotes (" ").

-GPOSession <String>

Specifies the Group Policy session to retrieve configuration information.

You can use GPOSession with the NetGPO cmdlets to aggregate multiple operations performed on a Group Policy Object. GPOSession cannot be used in conjunction with PolicyStore .

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-NewName <String>

Specifies the new name for the entry point.

-PassThru [<SwitchParameter>]

Sends items from an interactive window down the pipeline as input to other cmdlets. By default, this cmdlet does not generate any output. However, to send items from the interactive window down the pipeline, click to select the items and then click OK. Shift-click and Ctrl-click are supported.

-PolicyStore <String>

Specifies the policy store from which the cmdlet reads the entry point information.

To retrieve the entry point from a Group Policy Object, specify the GPO name using the format "Domain\GPOName".

To retrieve the entry point information from a computer's local GPO, specify the computer's local GPO name in the format "GPO:<computername>".

PolicyStore cannot be used in conjunction with GPOSession .

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of

`0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

`-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

`<CommonParameters>`

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Rename an entry point -----

```
PS C:\> Rename-DAEntryPointTableItem -EntryPointName "Redmond" -NewName
"Bellevue" -PolicyStore "Contoso\GPO1"
```

This cmdlet renames a DirectAccess entry point from Redmond to Bellevue.

REMARKS

To see the examples, type: `"get-help Rename-DAEntryPointTableItem -examples"`.

For more information, type: `"get-help Rename-DAEntryPointTableItem -detailed"`.

For technical information, type: `"get-help Rename-DAEntryPointTableItem -full"`.

For online help, type: `"get-help Rename-DAEntryPointTableItem -online"`