



python



PowerShell

FPDF Library  
PDF generator

*Full credit is given to the above companies including the OS that this PDF file was generated!*

### **PowerShell Get-Help on command 'Rename-MaskingSet'**

**PS C:\Users\wahid> Get-Help Rename-MaskingSet**

#### NAME

Rename-MaskingSet

#### SYNOPSIS

Renames an existing masking set.

#### SYNTAX

```
Rename-MaskingSet [-FriendlyName] <String[]> [-AsJob] [-CimSession  
<CimSession[]>] [-Confirm] -NewFriendlyName <String> [-PassThru  
[-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

```
Rename-MaskingSet [-AsJob] [-CimSession <CimSession[]>] [-Confirm]  
-InputObject <CimInstance[]> -NewFriendlyName <String> [-PassThru  
[-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

```
Rename-MaskingSet [-AsJob] [-CimSession <CimSession[]>] [-Confirm]  
-NewFriendlyName <String> [-PassThru] [-ThrottleLimit <Int32>] -Uniqueid  
<String[]> [-WhatIf] [<CommonParameters>]
```

## DESCRIPTION

The Rename-MaskingSet cmdlet renames an existing masking set.

```
ps_storage_spacesubsystem_not_remark
```

## PARAMETERS

**-AsJob** [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

**-CimSession** <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

**-Confirm** [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

**-FriendlyName** <String[]>

Specifies the friendly name for the masking set to rename.

**-InputObject** <CimInstance[]>

Specifies the input object that is used in a pipeline command.

**-NewFriendlyName** <String>

Specifies the new name of the masking set

**-PassThru** [<SwitchParameter>]

Sends items from the interactive window down the pipeline as input to other cmdlets. By default, this cmdlet does not generate any output.

To send items from the interactive window down the pipeline, click to select the items and then click OK. Shift-click and Ctrl-click are supported.

#### `-ThrottleLimit <Int32>`

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

#### `-Uniqueid <String[]>`

Specifies the UniqueID of the masking set to rename

#### `-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

#### `<CommonParameters>`

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Rename a masking set -----

```
PS C:\>Rename-MaskingSet -FriendlyName "MaskingSet" -NewFriendlyName  
"Server1A-MaskingSet"
```

This example renames the friendly name of the existing masking set to make it

more descriptive.

## REMARKS

To see the examples, type: "get-help Rename-MaskingSet -examples".

For more information, type: "get-help Rename-MaskingSet -detailed".

For technical information, type: "get-help Rename-MaskingSet -full".

For online help, type: "get-help Rename-MaskingSet -online"