



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Rename-NetIPHttpsConfiguration'

PS C:\Users\wahid> Get-Help Rename-NetIPHttpsConfiguration

NAME

Rename-NetIPHttpsConfiguration

SYNOPSIS

Renames an IP-HTTPS profile.

SYNTAX

```
Rename-NetIPHttpsConfiguration [-AsJob] [-CimSession <CimSession[]>]
[-Confirm] [-GPOSession <String>] -NewName <String> [-PassThru] [-Profile
<String[]>] [-ProfileActivated <Boolean[]>] [-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]
```

```
Rename-NetIPHttpsConfiguration [-AsJob] [-CimSession <CimSession[]>]
[-Confirm] -InputObject <CimInstance[]> -NewName <String> [-PassThru]
[-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

```
Rename-NetIPHttpsConfiguration [-AsJob] [-CimSession <CimSession[]>]
[-Confirm] -NewName <String> [-PassThru] [-PolicyStore <String>] [-Profile
<String[]>] [-ProfileActivated <Boolean[]>] [-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

The Rename-NetIPHttpsConfiguration cmdlet renames an IP-HTTPS profile, either on a computer or in a Group Policy Object (GPO).

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-GPOSession <String>

Specifies the Group Policy session which contains the IP-HTTPS configuration to rename.

You can use this parameter with the NetGPO cmdlets to aggregate multiple operations performed on a GPO.

You cannot use this parameter with the PolicyStore parameter.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-NewName <String>

Specifies the new name for the IP-HTTPS profile.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-PolicyStore <String>

Specifies the policy store that contains the configuration profile to rename. The acceptable values for this parameter are:

- GPO

To rename the configuration profile of a GPO, specify the GPO name using the following format: Domain\GPOName

You cannot use this parameter with the GPOName parameter.

-Profile <String[]>

Specifies the name of the profile to rename.

-ProfileActivated <Boolean[]>

Specifies which profile to rename.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

Example 1: Rename an IP-HTTPS profile using a configuration object

```
PS C:\>$config = Get-NetIPHttpsConfiguration -PolicyStore "testdomain\GPOName"
```

```
PS C:\> Rename-NetIPHttpsConfiguration -InputObject $config
```

This set of commands uses the Get-NetIPHttpsConfiguration cmdlet to get an IP-HTTPS configuration object and stores it in a variable named \$config. The contents of the variable are then passed to this cmdlet.

----- Example 2: Rename an IP-HTTPS profile -----

```
PS C:\>Rename-NetIPHttpsConfiguration -Profile "Redmond" -NewName "Fareast"
```

This command renames the IP-HTTPS profile named Redmond to Fareast.

REMARKS

To see the examples, type: "get-help Rename-NetIPHttpsConfiguration -examples".

For more information, type: "get-help Rename-NetIPHttpsConfiguration -detailed".

For technical information, type: "get-help Rename-NetIPHttpsConfiguration -full".

For online help, type: "get-help Rename-NetIPHttpsConfiguration -online"