



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Reset-DAClientExperienceConfiguration'

PS C:\Users\wahid> Get-Help Reset-DAClientExperienceConfiguration

NAME

Reset-DAClientExperienceConfiguration

SYNOPSIS

Restores the specified DirectAccess client configuration to the defaults.

SYNTAX

```
Reset-DAClientExperienceConfiguration [-AsJob] [-CimSession <CimSession[]>]
[-Confirm] [-CorporateResources] [-CustomCommands] [-ForceTunneling]
[-FriendlyName] [-GPOSession <String>] [-GslbFqdn] [-IPsecTunnelEndpoints]
[-ManualEntryPointSelectionAllowed] [-PassThru] [-PassiveMode] [-PolicyStore
<String>] [-PreferLocalNamesAllowed] [-SupportEmail] [-ThrottleLimit <Int32>]
[-UserInterface] [-WhatIf] [<CommonParameters>]
```

```
Reset-DAClientExperienceConfiguration [-AsJob] [-CimSession <CimSession[]>]
[-Confirm] [-CorporateResources] [-CustomCommands] [-ForceTunneling]
[-FriendlyName] [-GslbFqdn] [-IPsecTunnelEndpoints] -InputObject
<CimInstance[]> [-ManualEntryPointSelectionAllowed] [-PassThru] [-PassiveMode]
[-PreferLocalNamesAllowed] [-SupportEmail] [-ThrottleLimit <Int32>]
[-UserInterface] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Reset-DAClientExperienceConfiguration cmdlet restores the specified DirectAccess client configuration to the defaults.

All DAClientExperienceConfiguration cmdlets have an ADMX file which can also configure these settings.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job completes. To manage the job, use the `*-Job` cmdlets. To get the job results, use the Receive-Job

(<https://go.microsoft.com/fwlink/?LinkId=113372>) cmdlet.

For more information about Windows PowerShell background jobs, see [about_Jobs](#) (<https://go.microsoft.com/fwlink/?LinkId=113251>).

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession] (<https://go.microsoft.com/fwlink/p/?LinkId=227966>) cmdlet.

The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-CorporateResources [<SwitchParameter>]

Resets the CorporateResources property of the specified configuration to a non-configured state.

-CustomCommands [<SwitchParameter>]

Resets the CustomCommands property of the specified configuration to a non-configured state.

-ForceTunneling [<SwitchParameter>]

Resets the ForceTunneling property of the specified configuration to a non-configured state.

-FriendlyName [<SwitchParameter>]

Resets the FriendlyName property of the specified configuration to a non-configured state.

-GPOSession <String>

Specifies the Group Policy session to send configuration information. You can use GPOSession with the NetGPO cmdlets to aggregate multiple operations performed on a Group Policy Object. GPOSession cannot be used in conjunction with PolicyStore .

-GslbFqdn [<SwitchParameter>]

Resets the GslbFqdn property of the specified configuration to a non-configured state.

-IPsecTunnelEndpoints [<SwitchParameter>]

Resets the IPsecTunnelEndpoints property of the specified configuration to a non-configured state.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-ManualEntryPointSelectionAllowed [<SwitchParameter>]

Resets the ManualEntryPointSelectionAllowed property of the specified configuration to a non-configured state.

-PassThru [<SwitchParameter>]

Sends items from an interactive window down the pipeline as input to other cmdlets. By default, this cmdlet does not generate any output. However, to send items from the interactive window down the pipeline, click to select the items and then click OK. Shift-click and Ctrl-click are supported.

-PassiveMode [<SwitchParameter>]

Resets the PassiveMode property of the specified configuration to a non-configured state.

-PolicyStore <String>

Specifies the policy store into which the cmdlet adds the reset configuration properties.

To add the reset configuration properties to a Group Policy Object, specify the GPO name using the format "Domain\GPOName".

To add the reset configuration properties to a computer's local GPO, specify the computer's local GPO name in the format "GPO:<computername>".
PolicyStore cannot be used in conjunction with GPOSession .

-PreferLocalNamesAllowed [<SwitchParameter>]

Resets the PreferLocalNamesAllowed property of the specified configuration to a non-configured state.

-SupportEmail [<SwitchParameter>]

Resets the SupportEmail property of the specified configuration to a non-configured state.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-UserInterface [<SwitchParameter>]

Resets the UserInterface property of the specified configuration to a non-configured state.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

Example 1: Reset the friendly name of a client experience configuration

```
PS C:\>Reset-DAClientExperienceConfiguration -PolicyStore "Contoso\GPO1"  
-FriendlyName "Traveling Policy"
```

This cmdlet resets the friendly name of a client experience configuration.

REMARKS

To see the examples, type: "get-help Reset-DAClientExperienceConfiguration -examples".

For more information, type: "get-help Reset-DAClientExperienceConfiguration -detailed".

For technical information, type: "get-help

Reset-DAClientExperienceConfiguration -full".

For online help, type: "get-help Reset-DAClientExperienceConfiguration -online"