



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Reset-NetIPHttpsConfiguration'

PS C:\Users\wahid> Get-Help Reset-NetIPHttpsConfiguration

NAME

Reset-NetIPHttpsConfiguration

SYNOPSIS

Resets the IP-HTTPS configuration elements in a GPO.

SYNTAX

```
Reset-NetIPHttpsConfiguration [-AsJob] [-AuthMode] [-CimSession  
<CimSession[]>] [-Confirm] [-GPOSession <String>] [-PassThru] [-Profile  
<String[]>] [-ProfileActivated <Boolean[]>] [-State] [-StrongCRLRequired]  
[-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

```
Reset-NetIPHttpsConfiguration [-AsJob] [-AuthMode] [-CimSession  
<CimSession[]>] [-Confirm] -InputObject <CimInstance[]> [-PassThru] [-State]  
[-StrongCRLRequired] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

```
Reset-NetIPHttpsConfiguration [-AsJob] [-AuthMode] [-CimSession  
<CimSession[]>] [-Confirm] [-PassThru] [-PolicyStore <String>] [-Profile  
<String[]>] [-ProfileActivated <Boolean[]>] [-State] [-StrongCRLRequired]  
[-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The `Reset-NetIPHttpsConfiguration` cmdlet resets the IP-HTTP configuration elements in a Group Policy Object (GPO) to the not configured state.

Group Policy settings have one of the following three states: not configured, enabled, or disabled.

PARAMETERS

`-AsJob` [`<SwitchParameter>`]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

`-AuthMode` [`<SwitchParameter>`]

Resets the authentication mode to not configured.

`-CimSession` `<CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

`[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)`cmdlet.

The default is the current session on the local computer.

`-Confirm` [`<SwitchParameter>`]

Prompts you for confirmation before running the cmdlet.

`-GPOReset` `<String>`

Specifies the Group Policy session that contains the IP-HTTPS configuration information to reset.

You can use this parameter with the `NetGPO` cmdlets to aggregate multiple

operations performed on a GPO.

You cannot use this parameter with the PolicyStore parameter.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-PolicyStore <String>

Specifies the policy store that contains the IP-HTTPS configuration to reset. For this cmdlet, this parameter only supports GPO stores.

To reset an IP-HTTPS configuration stored in a GPO, specify the GPO name using the following format: `Domain\GPOName`

You cannot use this parameter with the GPONSession parameter.

-Profile <String[]>

Specifies the name of the IP-HTTPS configuration profile to reset.

-ProfileActivated <Boolean[]>

Filters the objects to reset.

-State [<SwitchParameter>]

Resets the state of the IP-HTTPS configuration to not configured.

-StrongCRLRequired [<SwitchParameter>]

Resets the strong certificate revocation list (CRL) check configuration to not configured.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Reset the IP-HTTPS configuration -----

```
PS C:\>$config = Get-NetIPHttpsConfiguration
```

```
PS C:\> Reset-NetIPHttpsConfiguration -InputObject $config
```

This set of commands gets the IP-HTTPS configuration using the `Get-NetIPHttpsConfiguration` cmdlet, stores it in a variable named `$config` and then passes the contents of the variable to this cmdlet.

REMARKS

To see the examples, type: "get-help Reset-NetIPHttpsConfiguration -examples".

For more information, type: "get-help Reset-NetIPHttpsConfiguration -detailed".

For technical information, type: "get-help Reset-NetIPHttpsConfiguration -full".

For online help, type: "get-help Reset-NetIPHttpsConfiguration -online"