



### *Windows PowerShell Get-Help on Cmdlet 'Set-AzDataBoxEdgeUser'*

**PS:\>Get-HELP Set-AzDataBoxEdgeUser -Full**

**NAME**

Set-AzDataBoxEdgeUser

**SYNOPSIS**

Sets a new password for a user on the device.

**SYNTAX**

```
Set-AzDataBoxEdgeUser [-ResourceGroupName] <System.String> [-DeviceName] <System.String> [-Name]
<System.String> [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -EncryptionKey
<System.Security.SecureString> -Password
<System.Security.SecureString> [-Confirm] [-WhatIf] [<CommonParameters>]
```

```
Set-AzDataBoxEdgeUser [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -EncryptionKey
<System.Security.SecureString> -InputObject
<Microsoft.Azure.PowerShell.Cmdlets.DataBoxEdge.Models.PSDataBoxEdgeUser> -Password
<System.Security.SecureString>
[-Confirm] [-WhatIf] [<CommonParameters>]
```

Set-AzDataBoxEdgeUser

[-AsJob]

[-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -EncryptionKey

<System.Security.SecureString> -Password <System.Security.SecureString> -ResourceId <System.String> [-Confirm]

[-WhatIf] [<CommonParameters>]

## DESCRIPTION

The Set-AzDataBoxEdgeUser cmdlet sets a new password for a user on the Data Box Edge device.

## PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DeviceName <System.String>

Device Name

Required? true  
Position? 1  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-EncryptionKey <System.Security.SecureString>

Encryption key of the Edge device

Required? true  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-InputObject <Microsoft.Azure.PowerShell.Cmdlets.DataBoxEdge.Models.PSDataBoxEdgeUser>

Input Object

Required? true  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-Name <System.String>

Username

Required? true  
Position? 2  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-Password <System.Security.SecureString>

Password, provide as a secure string

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource Group Name

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

Azure ResourceId

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### -WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

#### INPUTS

None

#### OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.DataBoxEdge.Models.PSDataBoxEdgeUser

#### NOTES

----- Example 1 -----

```
Set-AzDataBoxEdgeUser -ResourceGroupName resourceGroupName -DeviceName deviceName -Name username `
-Password @SecureString -EncryptionKey @SecureString
```

#### RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.databoxedge/set-azdataboxedgeuser>