



Windows PowerShell Get-Help on Cmdlet 'Set-AzExpressRouteCircuit'

PS:\>Get-HELP Set-AzExpressRouteCircuit -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Set-AzExpressRouteCircuit

SYNOPSIS

Modifies an ExpressRoute circuit.

SYNTAX

```
Set-AzExpressRouteCircuit [-AsJob] [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ExpressRouteCircuit  
<Microsoft.Azure.Commands.Network.Models.PSExpressRouteCircuit> [<CommonParameters>]
```

DESCRIPTION

The Set-AzExpressRouteCircuit cmdlet saves the modified ExpressRoute circuit to Azure.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ExpressRouteCircuit <Microsoft.Azure.Commands.Network.Models.PSExpressRouteCircuit>

Specifies the ExpressRouteCircuit object that this cmdlet modifies.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Network.Models.PSExpressRouteCircuit

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSExpressRouteCircuit

NOTES

- Example 1: Change the ServiceKey of an ExpressRoute circuit -

```
$ckt = Get-AzExpressRouteCircuit -Name $CircuitName -ResourceGroupName $rg
```

```
$ckt.ServiceKey = '64ce99dd-ee70-4e74-b6b8-91c6307433a0'
```

```
Set-AzExpressRouteCircuit -ExpressRouteCircuit $ckt
```

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/set-azexpressroutecircuit>

Get-AzExpressRouteCircuit

Move-AzExpressRouteCircuit

New-AzExpressRouteCircuit

Remove-AzExpressRouteCircuit

