



python



PowerShell

FPDF Library  
PDF generator

*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***PowerShell Get-Help on command 'Set-Clipboard'***

***PS C:\Users\wahid> Get-Help Set-Clipboard***

#### NAME

Set-Clipboard

#### SYNOPSIS

Sets the current Windows clipboard entry.

#### SYNTAX

Set-Clipboard [-Append] [-AsHtml] -LiteralPath <System.String[]> [-Confirm]  
[-WhatIf] [<CommonParameters>]

Set-Clipboard [-Append] [-AsHtml] -Path <System.String[]> [-Confirm] [-WhatIf]  
[<CommonParameters>]

Set-Clipboard [-Value] <System.String[]> [-Append] [-AsHtml] [-Confirm]  
[-WhatIf] [<CommonParameters>]

#### DESCRIPTION

The `Set-Clipboard` cmdlet sets the current Windows clipboard entry.

## PARAMETERS

-Append <System.Management.Automation.SwitchParameter>

Indicates that the cmdlet should add to the clipboard instead of replacing it. By default, the cmdlet clears the current content from the clipboard and sets it to the new content. When this parameter is specified, the cmdlet appends the new content after a newline to the current content.

-AsHtml <System.Management.Automation.SwitchParameter>

Indicates that the cmdlet renders the content as HTML to the clipboard.

-LiteralPath <System.String[]>

Specifies the path to the item that's copied to the clipboard. Unlike Path, the value of LiteralPath is used exactly as it's written. No characters are interpreted as wildcards. If the path includes escape characters, enclose it in single quotation marks. Single quotation marks tell Windows PowerShell not to interpret any characters as escape sequences.

-Path <System.String[]>

Specifies the path to the item that's copied to the clipboard. Wildcard characters are permitted.

-Value <System.String[]>

Specifies, as a string array, the content to copy to the clipboard.

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet isn't run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,  
OutBuffer, PipelineVariable, and OutVariable. For more information, see  
about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Copy text to the clipboard -----

```
Set-Clipboard -Value "This is a test string"
```

- Example 2: Copy the contents of a directory to the clipboard -

```
Set-Clipboard -Path "C:\Staging\"
```

--- Example 3: Copy the contents of a file to the clipboard ---

```
Get-Content C:\Users\user1\.ssh\id_ed25519.pub | Set-Clipboard
```

## REMARKS

To see the examples, type: "get-help Set-Clipboard -examples".

For more information, type: "get-help Set-Clipboard -detailed".

For technical information, type: "get-help Set-Clipboard -full".

For online help, type: "get-help Set-Clipboard -online"