



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Set-DtcClusterTMMapping'

PS C:\Users\wahid> Get-Help Set-DtcClusterTMMapping

NAME

Set-DtcClusterTMMapping

SYNOPSIS

Modifies an existing cluster DTC mapping.

SYNTAX

```
Set-DtcClusterTMMapping [-AsJob] [-CimSession <CimSession[]>]
[-ClusterResourceName <String>] [-Local <Boolean>] -Name <String> -Service
<String> [-ThrottleLimit <Int32>] [<CommonParameters>]
```

```
Set-DtcClusterTMMapping [-AsJob] [-CimSession <CimSession[]>]
[-ClusterResourceName <String>] -Local <Boolean> -Name <String>
[-ThrottleLimit <Int32>] [<CommonParameters>]
```

```
Set-DtcClusterTMMapping [-AsJob] [-CimSession <CimSession[]>]
[-ClusterResourceName <String>] -ExecutablePath <String> [-Local <Boolean>]
-Name <String> [-ThrottleLimit <Int32>] [<CommonParameters>]
```

```
Set-DtcClusterTMMapping [-AsJob] [-CimSession <CimSession[]>]
```

```
[-ClusterResourceName <String>] -ComPlusAppld <String> [-Local <Boolean>]
-Name <String> [-ThrottleLimit <Int32>] [<CommonParameters>]
```

```
Set-DtcClusterTMMapping [-AsJob] [-CimSession <CimSession[]>]
-ClusterResourceName <String> [-Local <Boolean>] -Name <String>
[-ThrottleLimit <Int32>] [<CommonParameters>]
```

DESCRIPTION

The Set-DtcClusterTMMapping cmdlet modifies an existing cluster Distributed Transaction Coordinator (DTC) mapping. This cmdlet is supported on clustered computers only.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job completes. To manage the job, use the ``*-Job`` cmdlets. To get the job results, use the Receive-Job (<https://go.microsoft.com/fwlink/?LinkID=113372>)cmdlet.

For more information about Windows PowerShell background jobs, see about_Jobs (<https://go.microsoft.com/fwlink/?LinkID=113251>).

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet.

The default is the current session on the local computer.

-ClusterResourceName <String>

Specifies the name of a cluster DTC resource. This cmdlet sets the TM mapping of the resource that the name specifies.

-ComPlusApplId <String>

Specifies the COM+ application identifier to associate with this mapping.

-ExecutablePath <String>

Specifies the path of the application to associate with this mapping.

-Local <Boolean>

Specifies whether the application type is local. If you specify a value of `$False`, the application is a clustered resource.

-Name <String>

Specifies the name of the DTC mapping to add.

-Service <String>

Specifies the name of the Windows service to associate with this mapping.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of ``0`` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters](https://go.microsoft.com/fwlink/?LinkID=113216) (https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Modify a DTC cluster mapping -----

```
PS C:\> Set-DtcClusterTMMapping -ExecutablePath "C:\TestApp\SampleApp.exe"  
-Name "LocalTestAppMapping" -ClusterResourceName "DtcResource2"
```

This command modifies an existing DTC cluster TM mapping.

REMARKS

To see the examples, type: "get-help Set-DtcClusterTMMapping -examples".

For more information, type: "get-help Set-DtcClusterTMMapping -detailed".

For technical information, type: "get-help Set-DtcClusterTMMapping -full".

For online help, type: "get-help Set-DtcClusterTMMapping -online"