



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Set-NetAdapterBinding'

PS C:\Users\wahid> Get-Help Set-NetAdapterBinding

NAME

Set-NetAdapterBinding

SYNOPSIS

Sets the binding state of a transport or filter on a network adapter.

SYNTAX

```
Set-NetAdapterBinding [-Name] <String[]> [-AllBindings] [-AsJob] [-CimSession  
<CimSession[]>] [-ComponentID <String[]>] [-Confirm] [-DisplayName <String[]>]  
[-Enabled <Boolean>] [-IncludeHidden] [-PassThru] [-ThrottleLimit <Int32>]  
[-WhatIf] [<CommonParameters>]
```

```
Set-NetAdapterBinding [-AllBindings] [-AsJob] [-CimSession <CimSession[]>]  
[-ComponentID <String[]>] [-Confirm] [-DisplayName <String[]>] [-Enabled  
<Boolean>] [-IncludeHidden] -InterfaceDescription <String[]> [-PassThru]  
[-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

```
Set-NetAdapterBinding [-AsJob] [-CimSession <CimSession[]>] [-Confirm]  
[-Enabled <Boolean>] -InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit  
<Int32>] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Set-NetAdapterBinding cmdlet sets the binding state of a transport or filter on a network adapter. By default only visible bindings are set unless the AllBindings parameter is specified. If only enabling or disabling bindings, then the Enable-NetAdapterBinding or Disable-NetAdapterBinding cmdlets can be used. If you disable or enable a network adapter binding, the cmdlet can automatically enable or disable other network adapter bindings.

PARAMETERS

-AllBindings [<SwitchParameter>]

Indicates that the cmdlet sets filters or transports that are not visible by default.

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete. The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job completes. To manage the job, use the ``*-Job`` cmdlets. To get the job results, use the Receive-Job (<https://go.microsoft.com/fwlink/?LinkID=113372>)cmdlet. For more information about Windows PowerShell background jobs, see about_Jobs (<https://go.microsoft.com/fwlink/?LinkID=113251>).

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

-ComponentID <String[]>

Specifies as an array the underlying names of the transport or filter in the following form: `ms_xxxx`, such as `ms_tcpip`.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-DisplayName <String[]>

Specifies an array of transport or filter names shown in the Networking tab under the network adapter properties in Windows Server 2012 and later.

-Enabled <Boolean>

Indicates whether the transport or filter is enabled or disabled. The acceptable values for this parameter are: \$True or \$False.

-IncludeHidden [<SwitchParameter>]

Indicates that the cmdlet includes both visible and hidden network adapters in the operation. By default only visible network adapters are included. If a wildcard character is used in identifying a network adapter and this parameter has been specified, then the wildcard string is matched against both hidden and visible network adapters.

-InputObject <CimInstance[]>

Specifies the input to this cmdlet. You can use this parameter, or you can pipe the input to this cmdlet.

-InterfaceDescription <String[]>

Specifies an array of network adapter interface descriptions. For a physical network adapter this is typically the name of the vendor of the network adapter followed by a part number and description, such as `Contoso 12345 Gigabit Network Device`.

-Name <String[]>

Specifies an array of network adapter names.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

- Example 1: Enable TCP/IPv4 on the specified network adapter -

```
PS C:\> Set-NetAdapterBinding -Name "MyAdapter" -DisplayName "Internet Protocol Version 4 (TCP/IPv4)" -Enabled $True
```

This command enables TCP/IPv4 on the network adapter named MyAdapter.

- Example 2: Disable TCP/IPv4 on the specified network adapter -

```
PS C:\> Set-NetAdapterBinding -Name "MyAdapter" -DisplayName "Internet Protocol Version 4 (TCP/IPv4)" -Enabled $False
```

This command disables TCP/IPv4 on the network adapter named MyAdapter.

Example 3: Enable TCP/IPv4 on the specified network adapter using the component ID

```
PS C:\> Set-NetAdapterBinding -Name "MyAdapter" -ComponentID ms_tcpip -Enabled $True
```

This command enables TCP/IPv4 on the network adapter named MyAdapter using the component ID.

REMARKS

To see the examples, type: "get-help Set-NetAdapterBinding -examples".

For more information, type: "get-help Set-NetAdapterBinding -detailed".

For technical information, type: "get-help Set-NetAdapterBinding -full".

For online help, type: "get-help Set-NetAdapterBinding -online"