



python



PowerShell

FPDF Library  
PDF generator

*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***PowerShell Get-Help on command 'Set-PrinterProperty'***

***PS C:\Users\wahid> Get-Help Set-PrinterProperty***

#### NAME

Set-PrinterProperty

#### SYNOPSIS

Modifies the printer properties for the specified printer.

#### SYNTAX

```
Set-PrinterProperty [-PrinterName] <String> [-PropertyName] <String> [-Value]
<String> [-AsJob] [-CimSession <CimSession[]>] [-ComputerName <String>]
[-Confirm] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

```
Set-PrinterProperty [-InputObject] <CimInstance> [-AsJob] [-CimSession
<CimSession[]>] [-Confirm] [-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]
```

```
Set-PrinterProperty [-PrinterObject] <CimInstance> [-PropertyName] <String>
[-Value] <String> [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
[-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

## DESCRIPTION

The Set-PrinterProperty cmdlet modifies the printer properties for the specified printer.

You cannot use wildcard characters with Set-PrinterProperty . You can use Set-PrinterProperty in a Windows PowerShell remoting session.

You need administrator credentials to run Set-PrinterProperty .

## PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

-ComputerName <String>

Specifies the computer name for which to modify the printer properties.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-InputObject <CimInstance>

Specifies the input object that is used in a pipeline command.

-PrinterName <String>

Specifies the name of the printer for which to modify the properties.

-PrinterObject <CimInstance>

Specifies the printer object for which to update the printer properties.

-PropertyName <String>

Specifies the property name to update.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-Value <String>

Specifies the new value of the printer property.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Set a printer property -----

```
Set-PrinterProperty -PrinterName "Printer02" -PropertyName  
"Config:PropertyName" -Value True
```

This command sets the Config:PropertyName property of the printer named

Printer02 to True.

## REMARKS

To see the examples, type: "get-help Set-PrinterProperty -examples".

For more information, type: "get-help Set-PrinterProperty -detailed".

For technical information, type: "get-help Set-PrinterProperty -full".

For online help, type: "get-help Set-PrinterProperty -online"