



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Set-VolumeScrubPolicy'

PS C:\Users\wahid> Get-Help Set-VolumeScrubPolicy

NAME

Set-VolumeScrubPolicy

SYNOPSIS

Sets the status of the volume scrub policy.

SYNTAX

```
Set-VolumeScrubPolicy [-DriveLetter] <Char[]> [[-Enable] <Boolean>] [-AsJob]
[-CimSession <CimSession[]>] [-PassThru] [-ThrottleLimit <Int32>]
[<CommonParameters>]
```

```
Set-VolumeScrubPolicy [[-Enable] <Boolean>] [-AsJob] [-CimSession
<CimSession[]>] -FileSystemLabel <String[]> [-PassThru] [-ThrottleLimit
<Int32>] [<CommonParameters>]
```

```
Set-VolumeScrubPolicy [[-Enable] <Boolean>] [-AsJob] [-CimSession
<CimSession[]>] -InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit
<Int32>] [<CommonParameters>]
```

```
Set-VolumeScrubPolicy [[-Enable] <Boolean>] [-AsJob] [-CimSession
```

<CimSession[]> -ObjectId <String[]> [-PassThru] [-ThrottleLimit <Int32>]
[<CommonParameters>]

Set-VolumeScrubPolicy [[-Enable] <Boolean>] [-AsJob] [-CimSession
<CimSession[]>] [-PassThru] -Path <String[]> [-ThrottleLimit <Int32>]
[<CommonParameters>]

DESCRIPTION

The Set-VolumeScrubPolicy cmdlet sets the status of the volume scrub policy.
Use this cmdlet to enable or disable the policy.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands
that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a
computer name or a session object, such as the output of a New-CimSession
(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or
[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet.
The default is the current session on the local computer.

-DriveLetter <Char[]>

Specifies an array of letters that identify one or more drives or volumes
in the system. The cmdlet sets the volume scrub policy for the drives or
volumes you specify.

-Enable <Boolean>

Indicates whether to enable or disable the volume scrub policy.

-FileSystemLabel <String[]>

Specifies an array of file system labels. The cmdlet sets the volume scrub policy for the file system labels you specify.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-ObjectId <String[]>

Specifies an array of IDs, as strings. The ID is not globally unique.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-Path <String[]>

Specifies an array of paths. The cmdlet sets the volume scrub policy for the paths you specify.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

```
PS C:\>Get-Volume H | Set-VolumeScrubPolicy -Enable $False
```

This command gets a volume object, and then sets the volume scrub policy status on that object to `$False`.

REMARKS

To see the examples, type: "get-help Set-VolumeScrubPolicy -examples".

For more information, type: "get-help Set-VolumeScrubPolicy -detailed".

For technical information, type: "get-help Set-VolumeScrubPolicy -full".

For online help, type: "get-help Set-VolumeScrubPolicy -online"