



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Set-WinUserLanguageList'

PS C:\Users\wahid> Get-Help Set-WinUserLanguageList

NAME

Set-WinUserLanguageList

SYNOPSIS

Sets the language list and associated properties for the current user account.

SYNTAX

```
Set-WinUserLanguageList [-LanguageList] <System.Collections.Generic.List`1[Microsoft.InternationalSettings.Commands.WinUserLanguage]> [-Confirm] [-Force] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Set-WinUserLanguageList cmdlet sets the current user language settings.

These settings include input method, spelling setting, text prediction setting, and handwriting input mode. For more information, see CultureInfo Class (<https://go.microsoft.com/fwlink/?LinkID=242306>) and [Configurable Language and Cultural Settings](<https://go.microsoft.com/fwlink/?LinkID=242307>).

PARAMETERS

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-Force [<SwitchParameter>]

-LanguageList <System.Collections.Generic.List`1[Microsoft.InternationalSettings.Commands.WinUserLanguage]>

Specifies a language list.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters](https://go.microsoft.com/fwlink/?LinkID=113216) (<https://go.microsoft.com/fwlink/?LinkID=113216>).

---- Example 1: Add a language to an existing language list ----

```
PS C:\> $OldList = Get-WinUserLanguageList
PS C:\> $OldList.Add("fr-FR")
PS C:\> Set-WinUserLanguageList -LanguageList $OldList
```

This example adds the language French (France) to the language list of the user.

The first command gets the user language list by using the `Get-WinUserLanguageList` cmdlet. The command stores the result in the `$OldList` variable.

The second command adds a language to the object in \$OldList.

The final command sets the language list of the current user to the revised value of \$OldList.

----- Example 2: Change a value in a language -----

```
PS C:\> $UserLanguageList = New-WinUserLanguageList -Language en-US
```

```
PS C:\> $UserLanguageList[0].Handwriting = $True
```

```
PS C:\> Set-WinUserLanguageList -LanguageList $UserLanguageList
```

This example changes the handwriting setting for a language in the user language list.

The first command creates a language list for US English that has default values, and then stores it in the \$UserLanguageList variable.

The second command modifies the Handwriting property of the first member of the language list in \$UserLanguageList.

The final command sets the language list of the current user to the revised value of \$UserLanguageList.

REMARKS

To see the examples, type: "get-help Set-WinUserLanguageList -examples".

For more information, type: "get-help Set-WinUserLanguageList -detailed".

For technical information, type: "get-help Set-WinUserLanguageList -full".

For online help, type: "get-help Set-WinUserLanguageList -online"