



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Start-AppBackgroundTask'

PS C:\Users\wahid> Get-Help Start-AppBackgroundTask

NAME

Start-AppBackgroundTask

SYNOPSIS

Starts a background task.

SYNTAX

```
Start-AppBackgroundTask [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
-TaskID <String[]> [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Start-AppBackgroundTask cmdlet starts a background task. A background task performs an activity for an application, such as downloading a file. You must have administrator access to start a background task.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands

that take a long time to complete.

The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job completes. To manage the job, use the ``*-Job`` cmdlets. To get the job results, use the `Receive-Job` (<https://go.microsoft.com/fwlink/?LinkID=113372>) cmdlet.

For more information about Windows PowerShell background jobs, see `about_Jobs` (<https://go.microsoft.com/fwlink/?LinkID=113251>).

`-CimSession <CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession]` (<https://go.microsoft.com/fwlink/p/?LinkId=227966>) cmdlet. The default is the current session on the local computer.

`-Confirm [<SwitchParameter>]`

Prompts you for confirmation before running the cmdlet.

`-TaskID <String[]>`

Specifies a TaskID, in GUID format, for a background task. You can get the TaskID by using the `Get-AppBackgroundTask` cmdlet.

`-ThrottleLimit <Int32>`

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of ``0`` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Start a background task -----

```
PS C:\> Start-AppBackgroundTask -TaskID "6D99C4A8-839E-5440-BEFD-2A8DB30A6461"
```

This command starts a registered background task that has the TaskID 6D99C4A8-839E-5440-BEFD-2A8DB30A6461.

REMARKS

To see the examples, type: "get-help Start-AppBackgroundTask -examples".

For more information, type: "get-help Start-AppBackgroundTask -detailed".

For technical information, type: "get-help Start-AppBackgroundTask -full".

For online help, type: "get-help Start-AppBackgroundTask -online"