



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Stop-NetEventSession'

PS C:\Users\wahid> Get-Help Stop-NetEventSession

NAME

Stop-NetEventSession

SYNOPSIS

Stops event and packet capture for a network event session.

SYNTAX

```
Stop-NetEventSession [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
-InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]
```

```
Stop-NetEventSession [-Name] <String[]> [-AsJob] [-CimSession <CimSession[]>]
[-Confirm] [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Stop-NetEventSession cmdlet stops event and packet capture for network event session. A session controls how the computer logs events and, optionally, network traffic, or packets. Use the New-NetEventSession cmdlet to create a session. A network event provider logs events and network traffic as

Event Tracing for Windows (ETW) events.

Use the `Start-NetEventSession` cmdlet to start a session. You cannot stop a session unless it is currently running.

PARAMETERS

`-AsJob [<SwitchParameter>]`

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

`-CimSession <CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)` cmdlet. The default is the current session on the local computer.

`-Confirm [<SwitchParameter>]`

Prompts you for confirmation before running the cmdlet.

`-InputObject <CimInstance[]>`

Specifies the input object that is used in a pipeline command.

`-Name <String[]>`

Specifies an array of names of sessions to stop.

`-PassThru [<SwitchParameter>]`

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

`-ThrottleLimit <Int32>`

Specifies the maximum number of concurrent operations that can be

established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

`-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

`<CommonParameters>`

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Stop a session -----

```
PS C:\>New-NetEventSession -Name "Session38"
```

```
PS C:\> Add-NetEventProvider -Name "Microsoft-Windows-TCPIP" -SessionName  
"Session38"
```

```
PS C:\> Start-NetEventSession -Name "Session38"
```

```
PS C:\> Stop-NetEventSession -Name "Session38"
```

This example creates a session, adds a provider to it, and then starts and stops the session.

The first command creates a session named `Session38` by using the `New-NetEventSession` cmdlet.

The second command adds a provider to the session by using the `Add-NetEventProvider` cmdlet. A session must have a provider in order to log events.

The third command starts the session named Session38 by using the Start-NetEventSession cmdlet.

The fourth command stops the session named Session38.

REMARKS

To see the examples, type: "get-help Stop-NetEventSession -examples".

For more information, type: "get-help Stop-NetEventSession -detailed".

For technical information, type: "get-help Stop-NetEventSession -full".

For online help, type: "get-help Stop-NetEventSession -online"