



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Stop-StorageJob'

PS C:\Users\wahid> Get-Help Stop-StorageJob

NAME

Stop-StorageJob

SYNOPSIS

Stops storage job.

SYNTAX

Stop-StorageJob [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-PassThru]
[-ThrottleLimit <Int32>] -UniqueId <String[]> [-WhatIf] [<CommonParameters>]

Stop-StorageJob [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -Name
<String[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]

Stop-StorageJob [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -InputObject
<CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]

DESCRIPTION

The Stop-StorageJob cmdlet stops the specified storage job.

PARAMETERS

`-AsJob [<SwitchParameter>]`

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

`-CimSession <CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

`[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet.`

The default is the current session on the local computer.

`-Confirm [<SwitchParameter>]`

Prompts you for confirmation before running the cmdlet.

`-InputObject <CimInstance[]>`

Specifies the input object that is used in a pipeline command.

`-Name <String[]>`

Specifies the name of the storage job to stop.

`-PassThru [<SwitchParameter>]`

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

`-ThrottleLimit <Int32>`

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of ``0`` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet,

not to the session or to the computer.

`-Uniqueld <String[]>`

Specifies the ID of the storage job to stop.

`-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

`<CommonParameters>`

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Stop all Optimize volume jobs -----

```
PS C:\>Stop-StorageJob -Name "Optimize Volume"
```

The following example stops all running Optimize Volume jobs.

REMARKS

To see the examples, type: "get-help Stop-StorageJob -examples".

For more information, type: "get-help Stop-StorageJob -detailed".

For technical information, type: "get-help Stop-StorageJob -full".

For online help, type: "get-help Stop-StorageJob -online"