



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Suspend-BitsTransfer'

PS C:\Users\wahid> Get-Help Suspend-BitsTransfer

NAME

Suspend-BitsTransfer

SYNOPSIS

Suspends a BITS transfer job.

SYNTAX

Suspend-BitsTransfer [-BitsJob] <BitsJob[]> [-Confirm] [-WhatIf]
[<CommonParameters>]

DESCRIPTION

The Suspend-BitsTransfer cmdlet suspends, or pauses, one or more Background Intelligent Transfer Service (BITS) transfer jobs. If the transfer is already suspended, the cmdlet does nothing. You can restart the BITS transfer job by using the Resume-BitsTransfer cmdlet.

PARAMETERS

-BitsJob <BitsJob[]>

Specifies the BITS transfer jobs to suspend. You can pipe a value to this parameter from other cmdlets that return BitsJob objects, such as `Get-BitsTransfer`.

`-Confirm [<SwitchParameter>]`

Prompts you for confirmation before running the cmdlet.

`-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

`<CommonParameters>`

This cmdlet supports the common parameters: `Verbose`, `Debug`, `ErrorAction`, `ErrorVariable`, `WarningAction`, `WarningVariable`, `OutBuffer`, `PipelineVariable`, and `OutVariable`. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

Example 1: Suspend all BITS transfer jobs owned by the current user

```
PS C:\> Get-BitsTransfer | Suspend-BitsTransfer
```

This command suspends all the BITS transfer jobs that are owned by the current user.

The output of `Get-BitsTransfer` is a set of BitsJob objects. This output is piped to the `Suspend-BitsTransfer` cmdlet.

-- Example 2: Suspend all BITS transfer jobs on the computer --

```
PS C:\> $Bits = Get-BitsTransfer -AllUsers
```

```
PS C:\> Suspend-BitsTransfer -BitsJob $Bits
```

This command suspends all the BITS transfer jobs on the computer.

The first command gets all the BitsJob objects on the computer and then stores

them in the \$Bits variable.

The second command uses the BitsJob parameter to pass the BitsJob objects that are stored in the \$Bits variable to the Suspend-BitsTransfer cmdlet.

REMARKS

To see the examples, type: "get-help Suspend-BitsTransfer -examples".

For more information, type: "get-help Suspend-BitsTransfer -detailed".

For technical information, type: "get-help Suspend-BitsTransfer -full".

For online help, type: "get-help Suspend-BitsTransfer -online"