PowerShell Get-Help on command 'Uninstall-Language'

PS C:\Users\wahid> Get-Help Uninstall-Language

NAME

    Uninstall-Language

SYNOPSIS

    Uninstalls a language from a device.

SYNTAX

    Uninstall-Language [-Language] <String> [-PassThru] [<CommonParameters>]

DESCRIPTION

    Uninstalls a language, including all language components, from a device. This

    operation runs asynchronously.

PARAMETERS

    -Language <String>

        The bcp47 tag of the language to install.

    -PassThru [<SwitchParameter>]

If specified, this parameter returns the bcp47 tag of the newly installed

language upon successful installation.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (https:/go.microsoft.com/fwlink/?LinkID=113216).

---------- Example 1: Remove a language from a device ----------

Uninstall-Language ja-jp

This command removes the Japanese language from the device.

REMARKS

To see the examples, type: "get-help Uninstall-Language -examples".

For more information, type: "get-help Uninstall-Language -detailed".

For technical information, type: "get-help Uninstall-Language -full".

For online help, type: "get-help Uninstall-Language -online"