



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Unregister-AppBackgroundTask'

PS C:\Users\wahid> Get-Help Unregister-AppBackgroundTask

NAME

Unregister-AppBackgroundTask

SYNOPSIS

Unregisters a background task.

SYNTAX

```
Unregister-AppBackgroundTask [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
-TaskID <String[]> [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Unregister-AppBackgroundTask cmdlet unregisters a background task. A background task performs an activity for an application, such as downloading a file. You must have administrator access to unregister a background task.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands

that take a long time to complete.

The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job completes. To manage the job, use the `*-Job` cmdlets. To get the job results, use the Receive-Job
(<https://go.microsoft.com/fwlink/?LinkId=113372>) cmdlet.

For more information about Windows PowerShell background jobs, see about_Jobs (<https://go.microsoft.com/fwlink/?LinkId=113251>).

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession
(<https://go.microsoft.com/fwlink/?LinkId=227967>) or [Get-CimSession] (<https://go.microsoft.com/fwlink/?LinkId=227966>) cmdlet.
The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-TaskID <String[]>

Specifies a TaskID, in GUID format, for a background task. You can get the TaskID by using the Get-AppBackgroundTask cmdlet.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Unregister a background task -----

```
PS C:\> Unregister-AppBackgroundTask -TaskID
```

```
"6D99C4A8-839E-5440-BEFD-2A8DB30A6461"
```

This command unregisters the registered background task identified by the GUID 6D99C4A8-839E-5440-BEFD-2A8DB30A6461.

REMARKS

To see the examples, type: "get-help Unregister-AppBackgroundTask -examples".

For more information, type: "get-help Unregister-AppBackgroundTask -detailed".

For technical information, type: "get-help Unregister-AppBackgroundTask -full".

For online help, type: "get-help Unregister-AppBackgroundTask -online"