



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Unregister-ClusteredScheduledTask'

PS C:\Users\wahid> Get-Help Unregister-ClusteredScheduledTask

NAME

Unregister-ClusteredScheduledTask

SYNOPSIS

Removes a scheduled task from a failover cluster.

SYNTAX

```
Unregister-ClusteredScheduledTask [-TaskName] <String> [[-Cluster] <String>]
[-AsJob] [-CimSession <CimSession[]>] [-ThrottleLimit <Int32>]
[<CommonParameters>]
```

```
Unregister-ClusteredScheduledTask [[-InputObject] <CimInstance>] [-AsJob]
[-CimSession <CimSession[]>] [-ThrottleLimit <Int32>] [<CommonParameters>]
```

DESCRIPTION

The Unregister-ClusteredScheduledTask cmdlet removes a clustered scheduled task from all nodes of a failover cluster.

(<https://technet.microsoft.com/en-us/library/cc721871.aspx>)topic in the TechNet Library at <http://technet.microsoft.com/en-us/library/cc721871.aspx>.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/?LinkId=227966>)cmdlet.
The default is the current session on the local computer.

-Cluster <String>

Specifies the name of a failover cluster. If you do not specify a cluster, the cmdlet uses the current node cluster name.

-InputObject <CimInstance>

Specifies the input object that is used in a pipeline command.

-TaskName <String>

Specifies a name of a scheduled task.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Unregister a task -----

```
PS C:\> Unregister-ClusteredScheduledTask -TaskName "Task01" -Cluster  
"Cluster07"
```

This command removes the task named Task01 from the cluster named Cluster07.

REMARKS

To see the examples, type: "get-help Unregister-ClusteredScheduledTask -examples".

For more information, type: "get-help Unregister-ClusteredScheduledTask -detailed".

For technical information, type: "get-help Unregister-ClusteredScheduledTask -full".

For online help, type: "get-help Unregister-ClusteredScheduledTask -online"