



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Unregister-ScheduledTask'

PS C:\Users\wahid> Get-Help Unregister-ScheduledTask

NAME

Unregister-ScheduledTask

SYNOPSIS

Unregisters a scheduled task.

SYNTAX

```
Unregister-ScheduledTask [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
-InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]
```

```
Unregister-ScheduledTask [[-TaskName] <String[]>] [[-TaskPath] <String[]>]
[-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-PassThru] [-ThrottleLimit
<Int32>] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Unregister-ScheduledTask cmdlet unregisters a scheduled task from the Windows Task Scheduler service on a local computer.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet`. The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-TaskName <String[]>

Specifies an array of one or more names for a scheduled task.

-TaskPath <String[]>

Specifies an array of one or more paths for scheduled tasks in Task Scheduler namespace. You can use "*" for a wildcard character query. You can use \ for the root folder. To specify a full TaskPath you need to include the leading and trailing \ *. If you do not specify a path, the cmdlet uses the root folder.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Unregister a task in the root folder -----

```
PS C:\> Unregister-ScheduledTask -TaskName "HardwareInventory"
```

This command unregisters a task named HardwareInventory in the root folder.

You must confirm the action before the command performs it.

---- Example 2: Unregister a task in the Event Viewer Tasks ----

```
PS C:\> Unregister-ScheduledTask -TaskPath '\Event Viewer Tasks\' -TaskName  
'ForwardedEvents' -Confirm:$false
```

This command unregisters a task named ForwardedEvents in the Event Viewer Tasks folder. You won't have to confirm on this action.

REMARKS

To see the examples, type: "get-help Unregister-ScheduledTask -examples".

For more information, type: "get-help Unregister-ScheduledTask -detailed".

For technical information, type: "get-help Unregister-ScheduledTask -full".

For online help, type: "get-help Unregister-ScheduledTask -online"