



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'basename.1' command

\$ man basename.1

BASENAME(1) User Commands BASENAME(1)

NAME

basename - strip directory and suffix from filenames

SYNOPSIS

basename NAME [SUFFIX]

basename OPTION... NAME...

DESCRIPTION

Print NAME with any leading directory components removed. If specified, also remove a trailing SUFFIX.

Mandatory arguments to long options are mandatory for short options too.

-a, --multiple

support multiple arguments and treat each as a NAME

-s, --suffix=SUFFIX

remove a trailing SUFFIX; implies -a

-z, --zero

end each output line with NUL, not newline

--help display this help and exit

--version

output version information and exit

EXAMPLES

basename /usr/bin/sort

-> "sort"

basename include/stdio.h .h

-> "stdio"

basename -s .h include/stdio.h

-> "stdio"

basename -a any/str1 any/str2

-> "str1" followed by "str2"

AUTHOR

Written by David MacKenzie.

REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report any translation bugs to <<https://translationproject.org/team/>>

COPYRIGHT

Copyright ? 2020 Free Software Foundation, Inc. License GPLv3+: GNU

GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

dirname(1), readlink(1)

Full documentation <<https://www.gnu.org/software/coreutils/basename>>

or available locally via: info '(coreutils) basename invocation'

GNU coreutils 8.32

January 2023

BASENAME(1)