



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'bundle-outdated.1' command

\$ man bundle-outdated.1

BUNDLE-OUTDATED(1) BUNDLE-OUTDATED(1)

NAME

bundle-outdated - List installed gems with newer versions available

SYNOPSIS

```
bundle outdated [GEM] [--local] [--pre] [--source] [--strict]
[--parseable | --porcelain] [--group=GROUP] [--groups] [--up?
date-strict] [--patch|--minor|--major] [--filter-major] [--filter-mi?
nor] [--filter-patch] [--only-explicit]
```

DESCRIPTION

Outdated lists the names and versions of gems that have a newer version available in the given source. Calling outdated with [GEM [GEM]] will only check for newer versions of the given gems. Prerelease gems are ignored by default. If your gems are up to date, Bundler will exit with a status of 0. Otherwise, it will exit 1.

OPTIONS

--local

Do not attempt to fetch gems remotely and use the gem cache in?stead.

--pre Check for newer pre-release gems.

--source

Check against a specific source.

--strict

Only list newer versions allowed by your Gemfile requirements.

--parseable, --porcelain

Use minimal formatting for more parseable output.

--group

List gems from a specific group.

--groups

List gems organized by groups.

--update-strict

Strict conservative resolution, do not allow any gem to be up?

dated past latest --patch | --minor| --major.

--minor

Prefer updating only to next minor version.

--major

Prefer updating to next major version (default).

--patch

Prefer updating only to next patch version.

--filter-major

Only list major newer versions.

--filter-minor

Only list minor newer versions.

--filter-patch

Only list patch newer versions.

--only-explicit

Only list gems specified in your Gemfile, not their dependencies.

PATCH LEVEL OPTIONS

See [bundle update\(1\) bundle-update.1.html](#) for details.

One difference between the patch level options in `bundle update` and here is the `--strict` option. `--strict` was already an option on `outdated` before the patch level options were added. `--strict` wasn't altered, and the `--update-strict` option on `outdated` reflects what `--strict` does on `bundle update`.

FILTERING OUTPUT

The 3 filtering options do not affect the resolution of versions, merely what versions are shown in the output.

If the regular output shows the following:

- * faker (newest 1.6.6, installed 1.6.5, requested ~> 1.4) in groups "development, test"
- * hashie (newest 3.4.6, installed 1.2.0, requested = 1.2.0) in groups "default"
- * headless (newest 2.3.1, installed 2.2.3) in groups "test"

`--filter-major` would only show:

- * hashie (newest 3.4.6, installed 1.2.0, requested = 1.2.0) in groups "default"

--filter-minor would only show:

- * headless (newest 2.3.1, installed 2.2.3) in groups "test"

--filter-patch would only show:

- * faker (newest 1.6.6, installed 1.6.5, requested ~> 1.4) in groups "development, test"

Filter options can be combined. --filter-minor and --filter-patch would show:

- * faker (newest 1.6.6, installed 1.6.5, requested ~> 1.4) in groups "development, test"

- * headless (newest 2.3.1, installed 2.2.3) in groups "test"

Combining all three filter options would be the same result as providing none of them.

December 2021

BUNDLE-OUTDATED(1)