



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## ***Red Hat Enterprise Linux Release 9.2 Manual Pages on 'bundle.1' command***

**\$ man bundle.1**

BUNDLE(1)

BUNDLE(1)

NAME

bundle - Ruby Dependency Management

SYNOPSIS

bundle COMMAND [--no-color] [--verbose] [ARGS]

DESCRIPTION

Bundler manages an application's dependencies through its entire life across many machines systematically and repeatably.

See the bundler website <https://bundler.io> for information on getting started, and Gemfile(5) for more information on the Gemfile format.

OPTIONS

--no-color

Print all output without color

--retry, -r

Specify the number of times you wish to attempt network commands

--verbose, -V

Print out additional logging information

BUNDLE COMMANDS

We divide bundle subcommands into primary commands and utilities:

PRIMARY COMMANDS

bundle install(1) bundle-install.1.html

Install the gems specified by the Gemfile or Gemfile.lock

bundle update(1) bundle-update.1.html

Update dependencies to their latest versions

bundle package(1) bundle-package.1.html

Package the .gem files required by your application into the vendor/cache directory

bundle exec(1) bundle-exec.1.html

Execute a script in the current bundle

bundle config(1) bundle-config.1.html

Specify and read configuration options for Bundler

bundle help(1)

Display detailed help for each subcommand

## UTILITIES

bundle add(1) bundle-add.1.html

Add the named gem to the Gemfile and run bundle install

bundle binstubs(1) bundle-binstubs.1.html

Generate binstubs for executables in a gem

bundle check(1) bundle-check.1.html

Determine whether the requirements for your application are in? stalled and available to Bundler

bundle show(1) bundle-show.1.html

Show the source location of a particular gem in the bundle

bundle outdated(1) bundle-outdated.1.html

Show all of the outdated gems in the current bundle

bundle console(1)

Start an IRB session in the current bundle

bundle open(1) bundle-open.1.html

Open an installed gem in the editor

bundle lock(1) bundle-lock.1.html

Generate a lockfile for your dependencies

bundle viz(1) bundle-viz.1.html

Generate a visual representation of your dependencies

bundle init(1) bundle-init.1.html

Generate a simple Gemfile, placed in the current directory

bundle gem(1) bundle-gem.1.html

Create a simple gem, suitable for development with Bundler

`bundle platform(1)` [bundle-platform.1.html](#)

Display platform compatibility information

`bundle clean(1)` [bundle-clean.1.html](#)

Clean up unused gems in your Bundler directory

`bundle doctor(1)` [bundle-doctor.1.html](#)

Display warnings about common problems

`bundle remove(1)` [bundle-remove.1.html](#)

Removes gems from the Gemfile

## PLUGINS

When running a command that isn't listed in PRIMARY COMMANDS or UTILITIES,

Bundler will try to find an executable on your path named

`bundler-<command>` and execute it, passing down any extra arguments to

it.

## OBSOLETE

These commands are obsolete and should no longer be used:

? `bundle cache(1)`

? `bundle show(1)`

December 2021

BUNDLE(1)