



Red Hat Enterprise Linux Release 9.2 Manual Pages on 'bzegrep.1' command

\$ man bzegrep.1

BZGREP(1) General Commands Manual BZGREP(1)

NAME

bzegrep, bzfgrep, bzegrep - search possibly bzip2 compressed files for a regular expression

SYNOPSIS

bzegrep [grep_options] [-e] pattern filename...
bzfgrep [egrep_options] [-e] pattern filename...
bzfgrep [fgrep_options] [-e] pattern filename...

DESCRIPTION

Bzegrep is used to invoke the grep on bzip2-compressed files. All options specified are passed directly to grep. If no file is specified, then the standard input is decompressed if necessary and fed to grep. Otherwise the given files are uncompressed if necessary and fed to grep.

If bzegrep is invoked as bzegrep or bzfgrep then egrep or fgrep is used instead of grep. If the GREP environment variable is set, bzegrep uses it as the grep program to be invoked. For example:

for sh: GREP=fgrep bzegrep string files
for csh: (setenv GREP fgrep; bzegrep string files)

AUTHOR

Charles Levert (charles@comm.polymtl.ca). Adapted to bzip2 by Philippe Troin <phil@fifi.org> for Debian GNU/Linux.

SEE ALSO

grep(1), egrep(1), fgrep(1), bzdifff(1), bzmore(1), bzless(1), bzip2(1)

BZGREP(1)