



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## ***Red Hat Enterprise Linux Release 9.2 Manual Pages on 'cupsctl.8' command***

**\$ man cupsctl.8**

cupsctl(8) OpenPrinting cupsctl(8)

### **NAME**

cupsctl - configure cupsd.conf options

### **SYNOPSIS**

```
cupsctl [ -h server[:port] ] [ -E ] [ -U username ] [ --[no-]debug-log?
ging ] [ --[no-]remote-admin ] [ --[no-]remote-any ] [
--[no-]share-printers ] [ --[no-]user-cancel-any ] [ name=value ]
```

### **DESCRIPTION**

cupsctl updates or queries the cupsd.conf file for a server. When no changes are requested, the current configuration values are written to the standard output in the format "name=value", one per line.

### **OPTIONS**

The following options are recognized:

**-E** Enables encryption on the connection to the scheduler.

**-U username**

Specifies an alternate username to use when authenticating with the scheduler.

**-h server[:port]**

Specifies the server address. Note: This option must occur before all others.

**--[no-]debug-logging**

Enables (disables) debug logging to the error\_log file.

**--[no-]remote-admin**

Enables (disables) remote administration.

**--[no-]remote-any**

Enables (disables) printing from any address, e.g., the Internet.

**--[no-]share-printers**

Enables (disables) sharing of local printers with other computers.

**--[no-]user-cancel-any**

Allows (prevents) users to cancel jobs owned by others.

## EXAMPLES

Display the current settings:

```
cupsctl
```

Enable debug logging:

```
cupsctl --debug-logging
```

Get the current debug logging state:

```
cupsctl | grep '^_debug_logging' | awk -F= '{print $2}'
```

Disable printer sharing:

```
cupstl --no-share-printers
```

## KNOWN ISSUES

You cannot set the Listen or Port directives using cupstl.

## SEE ALSO

cupsd.conf(5), cupsd(8),

CUPS Online Help (<http://localhost:631/help>)

## COPYRIGHT

Copyright ? 2007-2019 by Apple Inc.

2022-05-02

CUPS

cupstl(8)