Red Hat Enterprise Linux Release 9.2 Manual Pages on 'dircolors.1' command

$ man dircolors.1

DIRCOLORS(1)   User Commands   DIRCOLORS(1)

NAME

　　dircolors - color setup for ls

SYNOPSIS

　　dircolors [OPTION]... [FILE]

DESCRIPTION

　　Output commands to set the LS_COLORS environment variable.

　Determine format of output:

　　-b, --sh, --bourne-shell

　　　　output Bourne shell code to set LS_COLORS

　　-c, --csh, --c-shell

　　　　output C shell code to set LS_COLORS

　　-p, --print-database

　　　　output defaults

　　--help display this help and exit

　　--version

　　　　output version information and exit

　　If FILE is specified, read it to determine which colors to use for

　　which file types and extensions. Otherwise, a precompiled database is

　　used. For details on the format of these files, run 'dircolors

　　--print-database'.

AUTHOR

　　Written by H. Peter Anvin.

REPORTING BUGS

GNU coreutils online help: <https://www.gnu.org/software/coreutils/>

Report any translation bugs to <https://translationproject.org/team/>

COPYRIGHT

Copyright ? 2020 Free Software Foundation, Inc.   License GPLv3+: GNU

GPL version 3 or later <https://gnu.org/licenses/gpl.html>.

This is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

Full documentation <https://www.gnu.org/software/coreutils/dircolors>

or available locally via: info '(coreutils) dircolors invocation'

GNU coreutils 8.32   January 2023   DIRCOLORS(1)