



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'e2undo.8' command

\$ man e2undo.8

E2UNDO(8) System Manager's Manual E2UNDO(8)

NAME

e2undo - Replay an undo log for an ext2/ext3/ext4 file system

SYNOPSIS

```
e2undo [ -f ] [ -h ] [ -n ] [ -o offset ] [ -v ] [ -z undo_file ]
undo_log device
```

DESCRIPTION

e2undo will replay the undo log `undo_log` for an `ext2/ext3/ext4` file system found on device. This can be used to undo a failed operation by an `e2fsprogs` program.

OPTIONS

- f Normally, e2undo will check the file system superblock to make sure the `undo_log` matches with the file system on the device. If they do not match, e2undo will refuse to apply the `undo_log` as a safety mechanism. The `-f` option disables this safety mechanism.
- h Display a usage message.

-n Dry-run; do not actually write blocks back to the file system.

-o offset

Specify the file system's offset (in bytes) from the beginning of the device or file.

-v Report which block we're currently replaying.

-z undo_file

Before overwriting a file system block, write the old contents of the block to an undo file. This undo file can be used with `e2undo(8)` to restore the old contents of the file system should something go wrong. If the empty string is passed as the `undo_file` argument, the undo file will be written to a file named `e2undo-device.e2undo` in the directory specified via the `E2FSPROGS_UNDO_DIR` environment variable.

WARNING: The undo file cannot be used to recover from a power or system crash.

AUTHOR

`e2undo` was written by Aneesh Kumar K.V. (aneesh.kumar@linux.vnet.ibm.com)

AVAILABILITY

`e2undo` is part of the `e2fsprogs` package and is available from <http://e2fsprogs.sourceforge.net>.

SEE ALSO

`mke2fs(8)`, `tune2fs(8)`