



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## ***Red Hat Enterprise Linux Release 9.2 Manual Pages on 'exp10l.3' command***

### ***\$ man exp10l.3***

EXP10(3)            Linux Programmer's Manual            EXP10(3)

#### NAME

exp10, exp10f, exp10l - base-10 exponential function

#### SYNOPSIS

```
#define _GNU_SOURCE        /* See feature_test_macros(7) */
```

```
#include <math.h>
```

```
double exp10(double x);
```

```
float exp10f(float x);
```

```
long double exp10l(long double x);
```

Link with -lm.

#### DESCRIPTION

These functions return the value of 10 raised to the power of x.

#### RETURN VALUE

On success, these functions return the base-10 exponential value of x.

For various special cases, including the handling of infinity and NaN, as well as overflows and underflows, see exp(3).

#### ERRORS

See math\_error(7) for information on how to determine whether an error has occurred when calling these functions.

For a discussion of the errors that can occur for these functions, see exp(3).

#### VERSIONS

These functions first appeared in glibc in version 2.1.

## ATTRIBUTES

For an explanation of the terms used in this section, see at?

tributes(7).

??

?Interface                   ? Attribute   ? Value   ?

??

?exp10(), exp10f(), exp10l() ? Thread safety ? MT-Safe ?

??

## CONFORMING TO

These functions are GNU extensions.

## BUGS

Prior to version 2.19, the glibc implementation of these functions did not set errno to ERANGE when an underflow error occurred.

## SEE ALSO

cbrt(3), exp(3), exp2(3), log10(3), sqrt(3)

## COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU                           2017-09-15                           EXP10(3)