



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## **Red Hat Enterprise Linux Release 9.2 Manual Pages on 'flatpak-document-info.1' command**

### **\$ man flatpak-document-info.1**

FLATPAK DOCUMENT-IN(1) flatpak document-info FLATPAK DOCUMENT-IN(1)

#### NAME

flatpak-document-info - Show information about exported files

#### SYNOPSIS

flatpak document-info [OPTION...] FILE

#### DESCRIPTION

Shows information about an exported file, such as the document id, the fuse path, the original location in the filesystem, and the per-application permissions.

FILE can either be a file in the fuse filesystem at /run/user/\$UID/doc/, or a file anywhere else.

#### OPTIONS

The following options are understood:

-h, --help

Show help options and exit.

-v, --verbose

Print debug information during command processing.

--ostree-verbose

Print OSTree debug information during command processing.

#### EXAMPLES

```
$ flatpak document-info ~/Sources/gtk/gail-3.0.pc
```

```
id: dd32c34a
```

```
path: /run/user/1000/doc/dd32c34a/gail-3.0.pc
```

origin: /home/mclasen/Sources/gtk/gail-3.0.pc

permissions:

org.gnome.gedit read, write

SEE ALSO

flatpak(1), flatpak-document-export(1), flatpak-document-unexport(1),

flatpak-documents(1)

flatpak

FLATPAK DOCUMENT-IN(1)