



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## **Red Hat Enterprise Linux Release 9.2 Manual Pages on 'flatpak-flatpakref.5' command**

### **\$ man flatpak-flatpakref.5**

FLATPAKREF(5) flatpakref FLATPAKREF(5)

#### NAME

flatpak-flatpakref - Reference to a remote for an application or runtime

#### DESCRIPTION

Flatpak uses flatpakref files to share information about a remote for a single application. The flatpakref file contains enough information to add the remote and install the application. Use the flatpak install --from command to do so.

flatpakref files may also contain additional information that is useful when displaying the application to the user, e.g. in an app store.

The filename extension commonly used for flatpakref files is .flatpakref.

A flatpakref file can also refer to a remote for a runtime.

#### FILE FORMAT

The flatpakref file is using the same .ini file format that is used for systemd unit files or application .desktop files.

#### [Flatpak Ref]

All the information is contained in the [Flatpak Ref] group.

The following keys can be present in this group:

Version (uint64)

The version of the file format, must be 1 if present.

Name (string)

The fully qualified name of the runtime or application. This key is mandatory.

#### Url (string)

The url for the remote. This key is mandatory.

#### Branch (string)

The name of the branch from which to install the application or runtime. If this key is not specified, the "master" branch is used.

#### Title (string)

The title of the application or runtime. This should be a user-friendly name that can be displayed e.g. in an app store.

#### Comment (string)

A short summary of the application or runtime, for display e.g. in an app store.

#### Description (string)

A longer description of the application or runtime, for display e.g. in an app store.

#### Icon (string)

The url for an icon that can be used to represent the application or runtime.

#### Homepage (string)

The url of a webpage describing the application or runtime.

#### DeployCollectionID (string)

The collection ID of the remote, if it has one. This uniquely identifies the collection of apps in the remote, to allow peer to peer redistribution. It is recommended to use this key over CollectionID because only newer clients pay attention to it (and older clients don't handle collection IDs properly).

#### CollectionID (string)

This is deprecated but still supported for backwards compatibility. Use DeployCollectionID instead.

#### IsRuntime (boolean)

Whether this file refers to a runtime. If this key is not specified, the file is assumed to refer to an application.

GPGKey (string)

The base64-encoded gpg key for the remote.

RuntimeRepo (string)

The url for a .flatpakrepo file for the remote where the runtime can be found. Note that if the runtime is available in the remote providing the app, that remote may be used instead but the one specified by this option will still be added.

SuggestRemoteName (string)

A suggested name for the remote.

#### EXAMPLE

[Flatpak Ref]

Title=gedit

Name=org.gnome.gedit

Branch=stable

Url=http://sdk.gnome.org/repo-apps/

IsRuntime=false

```
GPGKey=mQENBFUUCGcBCAC/K9WeV4xCaKr3NKRqPXeY5mpaXAJyasLqCtrDx92WUgbu0voWrhohNAKpqizod2dvzc/X
Txm3rHylxmNfdhz1gaGhynU75Qw4aJVcly2eghTII++gfdtOvrOZo/VuAq30f32dMlgHQdRwEpgCwz7WYjppqZYItPAEcNL4M
TChAfiHJeeiQ5ibystNBW8W6Ymf7sO4m4g5+/aOxI54oCOzD9TWBAe+yXcJJWtc2rAhMCjtyPJzxd0ZVXqlzCe1xRvJ6Rq7Y
CiMbiM2DQFWXKnmYQbj4TGNMnwNdAajCdrCBWEMSbzq7EzuThJRD8Ky4BkEe1St6tuqwFaMZz+F9eXABEBAAG0KEd
ub21IIFNESyAzLjE2IDxnbm9tZS1vcy1saXN0QGdub21lLm9yZz6JATgEEwECACIFAIUUCGcCGwMGcwkIBwMCBhUIAgkK
CwQWAgMBAh4BAheAAoJEArkz6VV0VKBa5cH/0vXa31YgEjNk78gGFxqnQxdD1WYA87OYxDi189I4IA802EFTF4wCBu
ZyDOqdd5BhS3Ab0cR778DmZXRUP2gwe+1zTJypU2JMnDpkwJ4NK1VP6/tE4SAPrznBtmb76BKawBqUfZ9Wq1zg3ugvqk
ZB/Exq+usypIOWQVp1KL58TrjBRda0HvRctzkNhr0qYAtkLF0GvksBp4vBm8uGwAx7fw/HbhljQ9pekTwwB+5GwDPO/tSip/
1bQfCS+XJB8Ffa04HYPLGedalnWBrwhYY+G/kn5Zh9L/AC8xeLwTJTHM212rBjPa9CWS9C6a57MSaeGIEHLC1hEyiJJ15w
8jmY=
```

DeployCollectionID=org.gnome.Apps

#### SEE ALSO

flatpak(1), flatpak-install(1) flatpak-flatpakrepo(5),

flatpak

FLATPAKREF(5)