

Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'flatpak-remotes.1' command

\$ man flatpak-remotes.1

FLATPAK REMOTES(1)

flatpak remotes

FLATPAK REMOTES(1)

NAME

flatpak-remotes - List remote repositories

SYNOPSIS

flatpak remotes [OPTION...]

DESCRIPTION

Lists the known remote repositories, in priority order.

By default, both per-user and system-wide installations are shown. Use

the --user, --system or --installation options to change this.

OPTIONS

The following options are understood:

-h, --help

Show help options and exit.

--user

Show the per-user configuration.

--system

Show the default system-wide configuration.

--installation=NAME

Show a system-wide installation by NAME among those defined in

/etc/flatpak/installations.d/. Using --installation=default is

equivalent to using --system.

-d, --show-details

Show more information for each repository in addition to the name.

```
Equivalent to --columns=all.
    --show-disabled
      Show disabled repos.
    -v, --verbose
      Print debug information during command processing.
    --ostree-verbose
      Print OSTree debug information during command processing.
    --columns=FIELD,...
      Specify what information to show about each ref. You can list
      multiple fields, or use this option multiple times.
      Append:s[tart],:m[iddle],:e[nd] or:f[ull] to column names to
      change ellipsization.
FIELDS
    The following fields are understood by the --columns option:
    name
      Show the name of the remote
    title
      Show the title of the remote
    url
      Show the URL of the remote
    filter
      Show the path to the client-side filter of the remote.
    collection
      Show the collection ID of the remote
    priority
      Show the priority of the remote
    options
      Show options
    comment
      Show comment
    description
      Show description
```

homepage

Page 2/3

Show homepage

icon

Show icon

all

Show all columns

help

Show the list of available columns

Note that field names can be abbreviated to a unique prefix.

EXAMPLES

\$ flatpak remotes --user --show-details

testrepo Test Repository http://209.132.179.91/repo/ no-gpg-verify

SEE ALSO

flatpak(1), flatpak-remote-add(1), flatpak-remote-delete(1)

FLATPAK REMOTES(1)

flatpak