



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'fsfreeze.8' command

\$ man fsfreeze.8

FSFREEZE(8) System Administration FSFREEZE(8)

NAME

fsfreeze - suspend access to a filesystem (Ext3/4, ReiserFS, JFS, XFS)

SYNOPSIS

fsfreeze --freeze|--unfreeze mountpoint

DESCRIPTION

fsfreeze suspends or resumes access to a filesystem.

fsfreeze halts any new access to the filesystem and creates a stable image on disk. fsfreeze is intended to be used with hardware RAID devices that support the creation of snapshots.

fsfreeze is unnecessary for device-mapper devices. The device-mapper (and LVM) automatically freezes a filesystem on the device when a snapshot creation is requested. For more details see the dmsetup(8) man page.

The mountpoint argument is the pathname of the directory where the filesystem is mounted. The filesystem must be mounted to be frozen (see mount(8)).

Note that access-time updates are also suspended if the filesystem is mounted with the traditional atime behavior (mount option strictatime, for more details see mount(8)).

OPTIONS

-f, --freeze

This option requests the specified a filesystem to be frozen from

new modifications. When this is selected, all ongoing transactions in the filesystem are allowed to complete, new write system calls are halted, other calls which modify the filesystem are halted, and all dirty data, metadata, and log information are written to disk.

Any process attempting to write to the frozen filesystem will block waiting for the filesystem to be unfrozen.

Note that even after freezing, the on-disk filesystem can contain information on files that are still in the process of unlinking.

These files will not be unlinked until the filesystem is unfrozen or a clean mount of the snapshot is complete.

-u, --unfreeze

This option is used to un-freeze the filesystem and allow operations to continue. Any filesystem modifications that were blocked by the freeze are unblocked and allowed to complete.

-V, --version

Display version information and exit.

-h, --help

Display help text and exit.

FILESYSTEM SUPPORT

This command will work only if filesystem supports has support for freezing. List of these filesystems include (2016-12-18) btrfs, ext2/3/4, f2fs, jfs, nilfs2, reiserfs, and xfs. Previous list may be incomplete, as more filesystems get support. If in doubt easiest way to know if a filesystem has support is create a small loopback mount and test freezing it.

NOTES

This man page is based on xfs_freeze(8).

AUTHORS

Written by Hajime Taira.

SEE ALSO

mount(8)

REPORTING BUGS

For bug reports, use the issue tracker at

<https://github.com/karelzak/util-linux/issues>.

AVAILABILITY

The fsfreeze command is part of the util-linux package which can be downloaded from Linux Kernel Archive

<<https://www.kernel.org/pub/linux/utils/util-linux/>>.

util-linux 2.37.4

2022-02-14

FSFREEZE(8)