

Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'get_nprocs_conf.3' command

\$ man get_nprocs_conf.3

GET_NPROCS(3)

Linux Programmer's Manual

GET_NPROCS(3)

NAME

get_nprocs, get_nprocs_conf - get number of processors

SYNOPSIS

#include <sys/sysinfo.h>

int get_nprocs(void);

int get_nprocs_conf(void);

DESCRIPTION

The function get_nprocs_conf() returns the number of processors config? ured by the operating system.

The function get_nprocs() returns the number of processors currently available in the system. This may be less than the number returned by get_nprocs_conf() because processors may be offline (e.g., on hotplug? gable systems).

RETURN VALUE

As given in DESCRIPTION.

ATTRIBUTES

For an explanation of the terms used in this section, see at? tributes(7).

?Interface ? Attribute ? Value ?

?get_nprocs(), ? Thread safety ? MT-Safe ?

CONFORMING TO

These functions are GNU extensions.

NOTES

The current implementation of these functions is rather expensive, since they open and parse files in the /sys filesystem each time they are called.

The following sysconf(3) calls make use of the functions documented on this page to return the same information.

```
np = sysconf(_SC_NPROCESSORS_CONF);  /* processors configured */
np = sysconf(_SC_NPROCESSORS_ONLN);  /* processors available */
```

EXAMPLES

The following example shows how get_nprocs() and get_nprocs_conf() can be used.

SEE ALSO

nproc(1)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at https://www.kernel.org/doc/man-pages/.

2020-06-09