



## ***Red Hat Enterprise Linux Release 9.2 Manual Pages on 'grl-inspect-0.3.1' command***

### ***\$ man grl-inspect-0.3.1***

grl-inspect(1)      General Commands Manual      grl-inspect(1)

#### NAME

grl-inspect - show information about Grilo sources and keys

#### SYNOPSIS

grl-inspect [options] [source|key]

#### DESCRIPTION

This manual page documents briefly the grl-inspect command.

grl-inspect is a tool that prints out information on available Grilo sources and metadata keys. When executed with no SOURCE argument, grl-inspect will print the list of all plugins and sources. When executed with a SOURCE, grl-inspect will print information about that source. Alternatively, using -k prints out information about the available metadata keys.

#### OPTIONS

-h, --help

Show summary of grl-inspect options.

--help-grl

Show summary of Grilo options.

--help-all

Show summary of all options.

-k Show information about metadata keys

-d, --delay seconds

Wait for some seconds before showing results. Useful when plug?

ins may need some time for the source discovery process (example: UPnP). If not specified, by default it waits 1 second.

`-c, --config config-file`

Configuration file to use with the plugins.

#### AUTHOR

This manual page was written by Alberto Garcia <berto@igalia.com>.

June 28, 2011

grl-inspect(1)