



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'gtk-query-immodules-2.0-64.1' command

\$ man gtk-query-immodules-2.0-64.1

GTK-QUERY-IMMODULE(1) [FIXME: manual] GTK-QUERY-IMMODULE(1)

NAME

gtk-query-immodules-2.0 - Input method module registration utility

SYNOPSIS

gtk-query-immodules-2.0 [--update-cache] [module...]

DESCRIPTION

gtk-query-immodules-2.0 collects information about loadable input method modules for GTK+ and writes it to the default cache file location, or to stdout.

If called without arguments, it looks for modules in the GTK+ input method module path.

If called with arguments, it looks for the specified modules. The arguments may be absolute or relative paths.

Normally, the output of gtk-query-immodules-2.0 is written to libdir/gtk-2.0/2.10.0/immodules.cache, where GTK+ looks for it by default. If it is written to some other location, the environment variable GTK_IM_MODULE_FILE can be set to point GTK+ at the file.

OPTIONS

--update-cache

Write the output to the default cache location instead of stdout

ENVIRONMENT

The environment variable GTK_PATH can be used to prepend directories to the input method module path.

BUGS

None known yet.

[FIXME: source]

11/07/2022

GTK-QUERY-IMMODULE(1)