



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'ip-token.8' command

\$ man ip-token.8

IP-TOKEN(8) Linux IP-TOKEN(8)

NAME

ip-token - tokenized interface identifier support

SYNOPSIS

ip token { COMMAND | help }

ip token set TOKEN dev DEV

ip token del dev DEV

ip token get [dev DEV]

ip token [list]

DESCRIPTION

IPv6 tokenized interface identifier support is used for assigning well-known host-part addresses to nodes whilst still obtaining a global network prefix from Router advertisements. The primary target for tokenized identifiers are server platforms where addresses are usually manually configured, rather than using DHCPv6 or SLAAC. By using tokenized identifiers, hosts can still determine their network prefix by use of SLAAC, but more readily be automatically renumbered should their network prefix change [1]. Tokenized IPv6 Identifiers are described in the draft [1]: <draft-chown-6man-tokenised-ipv6-identifiers-02>.

ip token set - set an interface token

set the interface token to the kernel.

TOKEN the interface identifier token address.

dev DEV

the networking interface.

ip token del - delete an interface token

delete the interface token from the kernel.

dev DEV

the networking interface.

ip token get - get the interface token from the kernel

show a tokenized interface identifier of a particular networking de?

vice. Arguments: coincide with the arguments of ip token set but the

TOKEN must be left out.

ip token list - list all interface tokens

list all tokenized interface identifiers for the networking interfaces

from the kernel.

SEE ALSO

ip(8)

AUTHOR

Manpage by Daniel Borkmann

iproute2

28 Mar 2013

IP-TOKEN(8)