



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## **Red Hat Enterprise Linux Release 9.2 Manual Pages on 'ldexpl.3' command**

### **\$ man ldexpl.3**

LDEXP(3)                   Linux Programmer's Manual                   LDEXP(3)

#### NAME

ldexp, ldexpf, ldexpl - multiply floating-point number by integral power of 2

#### SYNOPSIS

```
#include <math.h>
```

```
double ldexp(double x, int exp);
```

```
float ldexpf(float x, int exp);
```

```
long double ldexpl(long double x, int exp);
```

Link with -lm.

Feature Test Macro Requirements for glibc (see feature\_test\_macros(7)):

ldexpf(), ldexpl():

```
_ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L
```

```
|| /* Since glibc 2.19: */ _DEFAULT_SOURCE
```

```
|| /* Glibc versions <= 2.19: */ _BSD_SOURCE || _SVID_SOURCE
```

#### DESCRIPTION

These functions return the result of multiplying the floating-point number  $x$  by 2 raised to the power  $exp$ .

#### RETURN VALUE

On success, these functions return  $x * (2^{exp})$ .

If  $exp$  is zero, then  $x$  is returned.

If  $x$  is a NaN, a NaN is returned.

If  $x$  is positive infinity (negative infinity), positive infinity (nega?

tive infinity) is returned.

If the result underflows, a range error occurs, and zero is returned.

If the result overflows, a range error occurs, and the functions return HUGE\_VAL, HUGE\_VALF, or HUGE\_VALL, respectively, with a sign the same as x.

## ERRORS

See math\_error(7) for information on how to determine whether an error has occurred when calling these functions.

The following errors can occur:

### Range error, overflow

errno is set to ERANGE. An overflow floating-point exception (FE\_OVERFLOW) is raised.

### Range error, underflow

errno is set to ERANGE. An underflow floating-point exception (FE\_UNDERFLOW) is raised.

## ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?ldexp(), ldexpf(), ldexpl() ? Thread safety ? MT-Safe ?

??

## CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

The variant returning double also conforms to SVr4, 4.3BSD, C89.

## SEE ALSO

frexp(3), modf(3), scalbn(3)

## COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at

<https://www.kernel.org/doc/man-pages/>.

