



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## ***Red Hat Enterprise Linux Release 9.2 Manual Pages on 'logout.3' command***

### ***\$ man logout.3***

LOGIN(3)                    Linux Programmer's Manual                    LOGIN(3)

#### NAME

login, logout - write utmp and wtmp entries

#### SYNOPSIS

```
#include <utmp.h>
```

```
void login(const struct utmp *ut);
```

```
int logout(const char *ut_line);
```

Link with -lutil.

#### DESCRIPTION

The utmp file records who is currently using the system. The wtmp file records all logins and logouts. See utmp(5).

The function login() takes the supplied struct utmp, ut, and writes it to both the utmp and the wtmp file.

The function logout() clears the entry in the utmp file again.

#### GNU details

More precisely, login() takes the argument ut struct, fills the field ut->ut\_type (if there is such a field) with the value USER\_PROCESS, and fills the field ut->ut\_pid (if there is such a field) with the process ID of the calling process. Then it tries to fill the field ut->ut\_line. It takes the first of stdin, stdout, stderr that is a terminal, and stores the corresponding pathname minus a possible leading /dev/ into this field, and then writes the struct to the utmp file.

On the other hand, if no terminal name was found, this field is filled

with "???" and the struct is not written to the utmp file. After this, the struct is written to the wtmp file.

The logout() function searches the utmp file for an entry matching the ut\_line argument. If a record is found, it is updated by zeroing out the ut\_name and ut\_host fields, updating the ut\_tv timestamp field and setting ut\_type (if there is such a field) to DEAD\_PROCESS.

#### RETURN VALUE

The logout() function returns 1 if the entry was successfully written to the database, or 0 if an error occurred.

#### FILES

/var/run/utmp

user accounting database, configured through \_PATH\_UTMP in <paths.h>

/var/log/wtmp

user accounting log file, configured through \_PATH\_WTMP in <paths.h>

#### ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

????????????????????????????????????????????????????????????

?Interface ? Attribute ? Value ?

????????????????????????????????????????????????????????????

?login(), ? Thread safety ? MT-Unsafe race:utent ?

?logout() ? ? sig:ALRM timer ?

????????????????????????????????????????????????????????????

In the above table, utent in race:utent signifies that if any of the functions setutent(3), getutent(3), or endutent(3) are used in parallel in different threads of a program, then data races could occur. login() and logout() calls those functions, so we use race:utent to remind users.

#### CONFORMING TO

Not in POSIX.1. Present on the BSDs.

#### NOTES

Note that the member `ut_user` of struct `utmp` is called `ut_name` in BSD.

Therefore, `ut_name` is defined as an alias for `ut_user` in `<utmp.h>`.

#### SEE ALSO

`getutent(3)`, `utmp(5)`

#### COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2017-09-15

LOGIN(3)