



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## **Red Hat Enterprise Linux Release 9.2 Manual Pages on 'memccpy.3' command**

**\$ man memccpy.3**

MEMCCPY(3)           Linux Programmer's Manual           MEMCCPY(3)

### NAME

memccpy - copy memory area

### SYNOPSIS

```
#include <string.h>

void *memccpy(void *dest, const void *src, int c, size_t n);
```

### DESCRIPTION

The memccpy() function copies no more than n bytes from memory area src to memory area dest, stopping when the character c is found.

If the memory areas overlap, the results are undefined.

### RETURN VALUE

The memccpy() function returns a pointer to the next character in dest after c, or NULL if c was not found in the first n characters of src.

### ATTRIBUTES

For an explanation of the terms used in this section, see at? tributes(7).

??

?Interface ? Attribute   ? Value   ?

??

?memccpy() ? Thread safety ? MT-Safe ?

??

### CONFORMING TO

POSIX.1-2001, POSIX.1-2008, SVr4, 4.3BSD.

## SEE ALSO

`bcopy(3)`, `bstring(3)`, `memcpy(3)`, `memmove(3)`, `strcpy(3)`, `strncpy(3)`

## COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2017-09-15

MEMCCPY(3)