



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'mq_timedreceive.3' command

\$ man mq_timedreceive.3

MQ_RECEIVE(3) Linux Programmer's Manual MQ_RECEIVE(3)

NAME

mq_receive, mq_timedreceive - receive a message from a message queue

SYNOPSIS

```
#include <mqueue.h>

ssize_t mq_receive(mqd_t mqdes, char *msg_ptr,
                  size_t msg_len, unsigned int *msg_prio);

#include <time.h>

#include <mqueue.h>

ssize_t mq_timedreceive(mqd_t mqdes, char *msg_ptr,
                       size_t msg_len, unsigned int *msg_prio,
                       const struct timespec *abs_timeout);
```

Link with -lrt.

Feature Test Macro Requirements for glibc (see feature_test_macros(7)):

```
mq_timedreceive():
    _POSIX_C_SOURCE >= 200112L
```

DESCRIPTION

mq_receive() removes the oldest message with the highest priority from the message queue referred to by the message queue descriptor mqdes, and places it in the buffer pointed to by msg_ptr. The msg_len argument specifies the size of the buffer pointed to by msg_ptr; this must be greater than or equal to the mq_msgsize attribute of the queue (see mq_getattr(3)). If msg_prio is not NULL, then the buffer to which it

points is used to return the priority associated with the received mes?

sage.

If the queue is empty, then, by default, `mq_receive()` blocks until a message becomes available, or the call is interrupted by a signal han?

dlr. If the `O_NONBLOCK` flag is enabled for the message queue descrip?

tion, then the call instead fails immediately with the error `EAGAIN`.

`mq_timedreceive()` behaves just like `mq_receive()`, except that if the queue is empty and the `O_NONBLOCK` flag is not enabled for the message

queue description, then `abs_timeout` points to a structure which speci?

fies how long the call will block. This value is an absolute timeout

in seconds and nanoseconds since the Epoch, 1970-01-01 00:00:00 +0000

(UTC), specified in the following structure:

```
struct timespec {
    time_t tv_sec;    /* seconds */
    long tv_nsec;    /* nanoseconds */
};
```

If no message is available, and the timeout has already expired by the time of the call, `mq_timedreceive()` returns immediately.

RETURN VALUE

On success, `mq_receive()` and `mq_timedreceive()` return the number of bytes in the received message; on error, -1 is returned, with `errno` set to indicate the error.

ERRORS

EAGAIN The queue was empty, and the `O_NONBLOCK` flag was set for the message queue description referred to by `mqdes`.

EBADF The descriptor specified in `mqdes` was invalid or not opened for reading.

EINTR The call was interrupted by a signal handler; see `signal(7)`.

EINVAL The call would have blocked, and `abs_timeout` was invalid, either because `tv_sec` was less than zero, or because `tv_nsec` was less than zero or greater than 1000 million.

EMSGSIZE

`msg_len` was less than the `mq_msgsize` attribute of the message

queue.

ETIMEDOUT

The call timed out before a message could be transferred.

ATTRIBUTES

For an explanation of the terms used in this section, see at?

tributes(7).

??

?Interface ? Attribute ? Value ?

??

?mq_receive(), mq_timedreceive() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008.

NOTES

On Linux, mq_timedreceive() is a system call, and mq_receive() is a library function layered on top of that system call.

SEE ALSO

mq_close(3), mq_getattr(3), mq_notify(3), mq_open(3), mq_send(3),
mq_unlink(3), mq_overview(7), time(7)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.