



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'nice.1' command

\$ man nice.1

NICE(1) User Commands NICE(1)

NAME

nice - run a program with modified scheduling priority

SYNOPSIS

nice [OPTION] [COMMAND [ARG]...]

DESCRIPTION

Run COMMAND with an adjusted niceness, which affects process scheduling.

With no COMMAND, print the current niceness. Niceness values range from -20 (most favorable to the process) to 19 (least favorable to the process).

Mandatory arguments to long options are mandatory for short options too.

-n, --adjustment=N

add integer N to the niceness (default 10)

--help display this help and exit

--version

output version information and exit

NOTE: your shell may have its own version of nice, which usually super-

cedes the version described here. Please refer to your shell's docu-

mentation for details about the options it supports.

AUTHOR

Written by David MacKenzie.

REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report any translation bugs to <<https://translationproject.org/team/>>

COPYRIGHT

Copyright ? 2020 Free Software Foundation, Inc. License GPLv3+: GNU

GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

nice(2), renice(1)

Full documentation <<https://www.gnu.org/software/coreutils/nice>>

or available locally via: info '(coreutils) nice invocation'

GNU coreutils 8.32

January 2023

NICE(1)