



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## ***Red Hat Enterprise Linux Release 9.2 Manual Pages on 'npm-deprecate.1' command***

***\$ man npm-deprecate.1***

NPM-DEPRECATE(1)

NPM-DEPRECATE(1)

NAME

npm-deprecate - Deprecate a version of a package

Synopsis

```
npm deprecate <package-spec> <message>
```

Note: This command is unaware of workspaces.

Description

This command will update the npm registry entry for a package, providing a deprecation warning to all who attempt to install it.

It works on version ranges <https://semver.npmjs.com/> as well as specific versions, so you can do something like this:

```
npm deprecate my-thing@"< 0.2.3" "critical bug fixed in v0.2.3"
```

SemVer ranges passed to this command are interpreted such that they do include prerelease versions. For example:

```
npm deprecate my-thing@1.x "1.x is no longer supported"
```

In this case, a version `my-thing@1.0.0-beta.0` will also be deprecated.

You must be the package owner to deprecate something. See the `owner` and `adduser` help topics.

To un-deprecate a package, specify an empty string (`""`) for the message argument. Note that you must use double quotes with no space between them to format an empty string.

Configuration

registry

? Default: "https://registry.npmjs.org/"

? Type: URL

The base URL of the npm registry.

otp

? Default: null

? Type: null or String

This is a one-time password from a two-factor authenticator. It's needed when publishing or changing package permissions with npm access.

If not set, and a registry response fails with a challenge for a one-time password, npm will prompt on the command line for one.

See Also

? npm help "package spec"

? npm help publish

? npm help registry

? npm help owner

? npm help adduser

February 2023

NPM-DEPRECATE(1)