



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## **Red Hat Enterprise Linux Release 9.2 Manual Pages on 'pam\_userdb.8' command**

**\$ man pam\_userdb.8**

PAM\_USERDB(8)                      Linux-PAM Manual                      PAM\_USERDB(8)

### NAME

pam\_userdb - PAM module to authenticate against a db database

### SYNOPSIS

```
pam_userdb.so db=/path/database [debug] [crypt=[crypt|none]] [icase]
[dump] [try_first_pass] [use_first_pass] [unknown_ok]
[key_only]
```

### DESCRIPTION

The pam\_userdb module is used to verify a username/password pair against values stored in a Berkeley DB database. The database is indexed by the username, and the data fields corresponding to the username keys are the passwords.

### OPTIONS

crypt=[crypt|none]

Indicates whether encrypted or plaintext passwords are stored in the database. If it is crypt, passwords should be stored in the database in crypt(3) form. If none is selected, passwords should be stored in the database as plaintext.

db=/path/database

Use the /path/database database for performing lookup. There is no default; the module will return PAM\_IGNORE if no database is provided. Note that the path to the database file should be specified without the .db suffix.

debug

Print debug information.

dump

Dump all the entries in the database to the log. Don't do this by default!

icase

Make the password verification to be case insensitive (ie when working with registration numbers and such). Only works with plaintext password storage.

try\_first\_pass

Use the authentication token previously obtained by another module that did the conversation with the application. If this token can not be obtained then the module will try to converse. This option can be used for stacking different modules that need to deal with the authentication tokens.

use\_first\_pass

Use the authentication token previously obtained by another module that did the conversation with the application. If this token can not be obtained then the module will fail. This option can be used for stacking different modules that need to deal with the authentication tokens.

unknown\_ok

Do not return error when checking for a user that is not in the database. This can be used to stack more than one pam\_userdb module that will check a username/password pair in more than a database.

#### key\_only

The username and password are concatenated together in the database hash as 'username-password' with a random value. If the concatenation of the username and password with a dash in the middle returns any result, the user is valid. This is useful in cases where the username may not be unique but the username and password pair are.

#### MODULE TYPES PROVIDED

The auth and account module types are provided.

#### RETURN VALUES

##### PAM\_AUTH\_ERR

Authentication failure.

##### PAM\_AUTHTOK\_RECOVERY\_ERR

Authentication information cannot be recovered.

##### PAM\_BUF\_ERR

Memory buffer error.

##### PAM\_CONV\_ERR

Conversation failure.

##### PAM\_SERVICE\_ERR

Error in service module.

##### PAM\_SUCCESS

Success.

## PAM\_USER\_UNKNOWN

User not known to the underlying authentication module.

## EXAMPLES

```
auth sufficient pam_userdb.so icase db=/etc/dbtest
```

## SEE ALSO

crypt(3), pam.conf(5), pam.d(5), pam(8)

## AUTHOR

pam\_userdb was written by Cristian Gafton >gafton@redhat.com<.