



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## ***Red Hat Enterprise Linux Release 9.2 Manual Pages on 'pam\_warn.8' command***

***\$ man pam\_warn.8***

PAM\_WARN(8)                      Linux-PAM Manual                      PAM\_WARN(8)

### NAME

pam\_warn - PAM module which logs all PAM items if called

### SYNOPSIS

pam\_warn.so

### DESCRIPTION

pam\_warn is a PAM module that logs the service, terminal, user, remote user and remote host to syslog(3). The items are not probed for, but instead obtained from the standard PAM items. The module always returns PAM\_IGNORE, indicating that it does not want to affect the authentication process.

### OPTIONS

This module does not recognise any options.

### MODULE TYPES PROVIDED

The auth, account, password and session module types are provided.

### RETURN VALUES

PAM\_IGNORE

This module always returns PAM\_IGNORE.

## EXAMPLES

```
#%PAM-1.0
#
# If we don't have config entries for a service, the
# OTHER entries are used. To be secure, warn and deny
# access to everything.
other auth    required    pam_warn.so
other auth    required    pam_deny.so
other account required    pam_warn.so
other account required    pam_deny.so
other password required    pam_warn.so
other password required    pam_deny.so
other session required    pam_warn.so
other session required    pam_deny.so
```

## SEE ALSO

pam.conf(5), pam.d(5), pam(8)

## AUTHOR

pam\_warn was written by Andrew G. Morgan <morgan@kernel.org>.