



Red Hat Enterprise Linux Release 9.2 Manual Pages on 'pmap.1' command

\$ man pmap.1

PMAP(1) User Commands PMAP(1)

NAME

pmap - report memory map of a process

SYNOPSIS

pmap [options] pid [...]

DESCRIPTION

The pmap command reports the memory map of a process or processes.

OPTIONS

-x, --extended

Show the extended format.

-d, --device

Show the device format.

-q, --quiet

Do not display some header or footer lines.

-A, --range low,high

Limit results to the given range to low and high address range.

Notice that the low and high arguments are single string sepa?

rated with comma.

-X Show even more details than the -x option. WARNING: format

changes according to /proc/PID/smaps

-XX Show everything the kernel provides

-p, --show-path

Show full path to files in the mapping column

-c, --read-rc

Read the default configuration

-C, --read-rc-from file

Read the configuration from file

-n, --create-rc

Create new default configuration

-N, --create-rc-to file

Create new configuration to file

-h, --help

Display help text and exit.

-V, --version

Display version information and exit.

EXIT STATUS

0 Success.

1 Failure.

42 Did not find all processes asked for.

SEE ALSO

ps(1), pgrep(1)

STANDARDS

No standards apply, but pmap looks an awful lot like a SunOS command.

REPORTING BUGS

Please send bug reports to [?procps@freelists.org?](mailto:procps@freelists.org)

procps-ng

2020-06-04

PMAP(1)