



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'podman-container-wait.1' command

\$ man podman-container-wait.1

podman-wait(1) General Commands Manual podman-wait(1)

NAME

podman-wait - Wait on one or more containers to stop and print their exit codes

SYNOPSIS

podman wait [options] container [...]
podman container wait [options] container [...]

DESCRIPTION

Waits on one or more containers to stop. The container can be referred to by its name or ID. In the case of multiple containers, Podman will wait on each consecutively. After all specified containers are stopped, the containers' return codes are printed separated by newline in the same order as they were given to the command.

OPTIONS

--condition=state

Condition to wait on (default "stopped")

--help, -h

Print usage statement

--ignore

Ignore errors when a specified container is missing and mark its return code as -1.

--interval, -i=duration

Time interval to wait before polling for completion. A duration string

is a sequence of decimal numbers, each with optional fraction and a unit suffix, such as "300ms", "-1.5h" or "2h45m". Valid time units are "ns", "us" (or "?s"), "ms", "s", "m", "h". Time unit defaults to "ms".

--latest, -l

Instead of providing the container name or ID, use the last created container. Note: the last started container could be from other users of Podman on the host machine. (This option is not available with the remote Podman client, including Mac and Windows (excluding WSL2 machines))

EXAMPLES

```
$ podman wait mywebserver
```

```
0
```

```
$ podman wait --latest
```

```
0
```

```
$ podman wait --interval 2s
```

```
0
```

```
$ podman wait 860a4b23
```

```
1
```

```
$ podman wait mywebserver myftpserver
```

```
0
```

```
125
```

```
$ podman wait --ignore does-not-exist
```

```
-1
```

SEE ALSO

podman(1)

HISTORY

September 2017, Originally compiled by Brent Baudebbaude@redhat.com

?mailto:bbaude@redhat.com?

podman-wait(1)